ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFEREN	CE		
IdentificationCode Not Valid Format	IdentificationCode Not Valid Format IdentificationSystem = State, IdentificationCode = 888888888	This error occurs when referenced data is not valid. In the sample error, the identified information is:	1) To locate the error, search within the interchange for the referenced data. In the sample error, IdentificationSystem = (E1090) STUDENT-IDENTIFICATION-SYSTEM and IdentificationCode = (E1510) STUDENT-ASSIGNING-ORGANIZATION-CODE and '888888888' = (E0001) STUDENT ID which is the velue in a corre		Category dent Basic Information Sub-Cate consion Complex Type	gory	
		IdentificationSystem = State	STUDENT-ID which is the value in error.	Element ID	1	Data Element	Date Issued Date Updated
		IdentificationCode = 888888888	 Based on the sample error you would search in the StudentExtension Complex Type of the StudentParentExtension or StudentExtension interchange for the value(s) that are not valid. In this case, '8888888888' is not valid for a SSN or S-Number. 	E0001	XML Name IdentificationCode	STUDENT-ID Stu	04/10/1989 3/1/2011 Complex Type IdentIdentificationCode
			<student id="SID_######"> <studentuniquestateld>#########</studentuniquestateld> <studentidentificationcode identificationsystem="State"> <identificationcode></identificationcode></studentidentificationcode></student>	When availa Section 2 fo	·	entification number.	dentification number.
			<pre></pre> /StudentificationCode IdentificationSystem="District">			Data Specifications	
			<identificationcode>######</identificationcode>		Code Table ID	Mandatory in XML YES	Domain of Values
			 To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re- extract the XML file and reload it. 		Length 9	Data Type	Pattern:
Schollkp.Master_Lookup	StateAbbreviation Not in Schollkp.Master_Lookup Table District_Code = ######, School_Year = M/DD/YYYY, Lookup_Desc = X, Lookup_Name = StateAbbreviationType, Lookup_Name_Id = DC124	This error occurs when referenced data does not meet what is defined in TEDS. In the sample error, the identified information is: Lookup_Desc = X Lookup_Name = StateAbbreviationType Lookup_Name_Id = DC124	 1) To locate the error, search within the interchange for the referenced data. 1) To locate the error, Lookup_Name = (E1118) STATE-ABBREVIATION Lookup_Name_Id = TEDS Code table DC124 and Lookup_Desc = the value in error. 2) Based on the sample error you would search in the StudentExtension Complex Type of the StudentParentExtension interchange for the value(s) that are not valid in the code table. In this case, 'X' is not valid for Code Table DC124. <address addresstype="Physical"></address> <streetnumbername>### XXXXX XX</streetnumbername> <city>XXXX</city> <stateabbreviation> X</stateabbreviation> <postalcode>#####</postalcode> 3) To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re- extract the XML file and reload it. 	Code Table ID DC124 Code 01 02 03 04 05 06 07 08	AL AK AZ AR CA CO CT DC	XML Name StateAbbreviationTy Translation	pe 3/1/2012 Date Updated 3/1/2018

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFEREN	CE					
Scholwhs.Academic_Plan	Values Not in Scholwhs.Academic_Plan	This error occurs when referenced data is	1) To locate the error, search within the interchange for the referenced data.	Code				Date Date		
	Table District_Code = ######, School_Year	not present in the identified table.		Table ID	Name	XML Name		Issued Updated		
	= MM/DD/YYYY, Academic_Plan_Cd = ##,		In the sample error, Academic_Plan_Type = (E0806) GRADUATION-TYPE-CODE and Academic_Plan_Cd	C062	GRADUATION-TYPE-CODE	TX-GraduationTypeCode	Туре 4/:	10/1989 8/31/2015		
	Academic_Plan_Type = XXXXXXXX	In the sample error, the identified	identifies the TEDS Code Table value.			Translation				
		information is:		Code						
		Table name = Scholwhs.Academic_Plan Referenced data is: Academic Plan Type = XXXXXXXX	2) Based on the sample error, search in the StudentEnrollmentExtension interchange for the value(s) that are not valid in the code table. In this case, '##' is not valid for Code Table C062.) that The following codes will apply only to students receiving special education services and g Minimum High School Program under TAC Chapter 74 with curriculum content modificati student's individualized education program (IEP).					
		Academic_Plan_Cd = ##	<tx-schoolreference> <educationalorgidentity> <stateorganizationid>########</stateorganizationid> </educationalorgidentity> </tx-schoolreference>	04 Completion Of IEP And Full-Time Employment With Sufficient Self-Help Skills To Mai Public School Services TAC §89.1070(f)(3)(A), revised January 1, 2015 [39 TexReg 10446].						
				05	Completion Of IEP And Demonstr Require Public School Services TAC §89.1070(f)(3)(B), revised Jar		Specific Employability And Self-Help Skills That Do 9 TexReg 10446]			
		<tx-leaverreasoncode>##</tx-leaverreasoncode> <tx-dateofgraduation>YYYY-MM-DD</tx-dateofgraduation> <tx-graduationtypecode>##</tx-graduationtypecode>	06	Completion Of IEP And Access To TAC §89.1070(f)(3)(C), revised Jar	Services, Employment, Or Education Outury 1, 2015 [39 TexReg 10446].	tside Of Public Ed	ucation			
				07	Completion Of IEP And Reached A TAC §89.1070(f)(4), revised Janua					
			3) To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re- extract the XML file and reload it.							
Scholwhs.Assessment Info	o Values Not in Scholwhs.Assessment Info This error occurs when referenced data	This error occurs when referenced data is	1) To locate the identified table 'Scholwhs. Assessment Info', in the eDM Batch Manager when viewing the					_		
_	Table District_Code = ######, Version =	not present in the identified table.	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data	General In	nformation <u>Validatio</u>	n Information	ETL Informatio	<u>m</u>		
	M/DD/YYYY, Test_Desc = XXXXX		was inserted, updated or not changed. If the table name is not listed for the interchange where the error							
		In the sample error, the identified	occurred, based on the interchange load order view the previous interchanges in order until you locate	Status:			Plan Cor	mplete		
		information is:	the table name.	ETL Plan Start	3			5-07 11:04		
		Table = Scholwhs.Assessment_Info		ETL Plan End:			2018-06	6-07 11:05		
		Referenced data is:	In the sample error, if the error occurred in the TSDS StudentAssessment interchange, view the ETL							
		Version = M/DD/YYYY	information tab of the following interchanges in order:	Table Statis						
		Test Desc = XXXXX	1. StudentAssessment - No Assessment Info table		rted - ASSESSMENT_ACHDET :		0			
			2. AssessmentMetadata - Assessment Info Table		rted - ASSESSMENT_INFO :		0			
					rted - ASSESSMENT_ITEM :		0			
			2) Once the interchange with the identified table has been located, search within the interchange for the		ted - ASSESSMENT_ITEMR_ACHDET :		0			
			referenced data.		rted - ASSESSMENT_ITEMR_RLTNSHP_FACT rted - ASSESSMENT_ITEM_IDENT_VALUE :	:	0			
			In the sample error, Version = (E1133) ASSESSMENT-VERSION and Test_Desc = (E1127) ASSESSMENT-		ted - ASSMNT_ITEMR_LEARNING_OBJCTV		0			
			TITLE.		ted - ASSMNT_TEMR_LEARNING_OBJETV	: PD -	0			
			111LE.		ted - ASSMNT_ITEM TESTING WINDOW :		0			
					ted - CLASS_ASSESSMENT :		0			
			Based on the error you would search in the Assessment Complex type for		ted - LEARNING_STANDARD :		0			
			<assessmenttitle>XXXXX</assessmenttitle> with the corresponding <version>####</version> . No matching data should be found.		 ted - LEARN_OBJCTV_LEARN_STD :		0			
			Note: If the data is found please submit a TIMS ticket with all of the troubleshooting steps performed.							
			3) To correct the errors, please contact your vendor to correct this missing value in the found XML file and all other files. Once corrected, please reload this interchange and the interchange where the error occurred.							
			occurred.							

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE	
Scholwhs.Assessment_Item	Values Not in Scholwhs.Assessment_Item	This error occurs when referenced data is	1) To locate the identified table 'Scholwhs.Assessment_Item', in the eDM Batch Manager when viewing	Genocal Information Validation Information	ETL Information
	Table District_Code = ######,	not present in the identified table.	the File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the	Gengral Information Validation Information	
	Assessment_Info.Version = ####,		data was inserted, updated or not changed. If the table name is not listed for the interchange where the		1
	Assessment_Info.Test_Desc = XXXXX	In the sample error, the identified	error occurred, based on the interchange load order view the previous interchanges in order until you	Status:	Plan Complete
		information is:	locate the table name.	ETL Plan Start:	2017-06-23 19:21
		Table = Scholwhs.Assessment_Item		ETL Plan End:	2017-06-23 19:23
		Referenced data is:	In the sample error, if the error occurred in the TSDS StudentAssessment interchange, view the ETL		
		Assessment_Info.Version = ####	information tab of the following interchanges in order:	Table Statistics	
		Assessment_Info.Test_Desc = XXXXX	1. StudentAssessment - No Assessment _Item table	Records Inserted - ASSESSMENT_ACHDET :	2
			2. AssessmentMetadata - Assessment Item Table	Records Inserted - ASSESSMENT_INFO :	1
			2. Seesinentmetadata (Seesinent_ten Table	Records Inserted - ASSESSMENT_ITEM :	1
			2) Once the interchange with the identified table has been located, search within the interchange for the	Records Inserted - ASSESSMENT_ITEMR_ACHDET :	0
			referenced data.	Records Inserted - ASSESSNENT_ITEM_IDENT_VALUE :	1
			referenced data.	Records Inserted - ASSMNT_ITEMR_LEARNING_OBJCTV :	0
				Records Inserted - ASSMNT_ITEMR_LEARNING_STANDARD :	0
			In the sample error, Assessment_Info.Version = (E1133) ASSESSMENT-VERSION, and	Records Inserted - ASSMNT_ITEM_TESTING_WINDOW :	0
			Assessment_Info.Test_Desc = (E1127) ASSESSMENT-TITLE.	Records Inserted - CLASS_ASSESSMENT :	0
				Records Inserted - LEARNING STANDARD :	ů
			Based on the error you would search in the Assessment Complex type for	Records Inserted - LEARN_OBJCTV_LEARN_STD :	ů
			<pre><assessmenttitle>XXXXX</assessmenttitle> with the corresponding <version>####</version>. No</pre>	Down Course No Change - ACCECCIENT ACUTET	0
			matching data should be found.		
			Note: If the data is found please submit a TIMS ticket with all of the troubleshooting steps performed.		
			3) To correct the errors, please contact your vendor to correct this missing value in the found XML file and all other files. Once corrected, please reload this interchange and the interchange where the error occurred.		
cholwhs.Building_Room	Values Not in Scholwhs.Building_Room	This error occurs when referenced data is	1) To locate the identified table 'Scholwhs.Building_Room', in the eDM Batch Manager when viewing the	General Information Validation Information	ETL Information
cholwhs.Building_Room	Table Cntrlg_District_Code = ######,	This error occurs when referenced data is not present in the identified table.	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data	General Information Validation Information	ETL Information
cholwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table.	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error		
holwhs.Building_Room	Table Cntrlg_District_Code = ######,	not present in the identified table. In the sample error, the identified	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data	Status:	Plan Complete
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table.	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error	Status: ETL Plan Start:	Plan Complete
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate	Status:	Plan Complete
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is:	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate	Status: ETL Plan Start: ETL Plan End:	Plan Complete
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name.	Status: ETL Plan Start: ETL Plan End: Table Statistics	Plan Complete
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47 0
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is:	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - <i>No Building_Room table</i>	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE :	Plan Complete
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - <i>No Building_Room table</i> 2. EducationOrgCalendar - <i>No Building_Room Table</i>	Status: ETL Plan Start: ETL Plan Ead: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE : Records Inserted - COURSE ;	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - <i>No Building_Room table</i>	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE : Records Inserted - COURSE E Records Inserted - COURSE GRADE_LEVEL :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table EducationOrganizationExtension - Building_Room Table 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - COURSE : Records Inserted - COURSE _ATTRIBUTE : Records Inserted - COURSE_GRADE _LEVEL : Records Inserted - COURSE_GRADE _LEVEL : Records Inserted - COURSE_IDENT_VALUE :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table 3) Once the interchange with the identified table has been located, search within the interchange for the 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE : Records Inserted - COURSE_ATTRIBUTE : Records Inserted - COURSE_CORNO_LEVEL : Records Inserted - COURSE_CORN_VALUE : Records Inserted - COURSE_CORN_VALUE : Records Inserted - DISTRICT_FACT :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47 0
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table EducationOrganizationExtension - Building_Room Table 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - COURSE : Records Inserted - COURSE _ATTRIBUTE : Records Inserted - COURSE_GRADE _LEVEL : Records Inserted - COURSE_GRADE _LEVEL : Records Inserted - COURSE_IDENT_VALUE :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47 0
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table EducationOrganizationExtension - Building_Room Table 3) Once the interchange with the identified table has been located, search within the interchange for the referenced data. 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE : Records Inserted - COURSE_ATTRIBUTE : Records Inserted - COURSE_GRADE_LEVEL : Records Inserted - COURSE_IDENT_VALUE : Records Inserted - DISTRICT_FACT : Records Inserted - DISTRICT_FACT : Records Inserted - DISTRICT_FACT :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table EducationOrganizationExtension - Building_Room Table 3) Once the interchange with the identified table has been located, search within the interchange for the referenced data. In the sample error, Bldg_Id = (E0266) CAMPUS-ID, Rm_Id = (E1292) CLASSROOM-IDENTIFICATION-CODE. 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE : Records Inserted - COURSE ATTRIBUTE : Records Inserted - COURSE CRADE_LEVEL : Records Inserted - DISTRICT_VALUE : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR PLODEES : Records Inserted - DISTRICT_VEAR PLODEES : Records Inserted - DISTRICT_VEAR PLODEES :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table EducationOrganizationExtension - Building_Room Table 3) Once the interchange with the identified table has been located, search within the interchange for the referenced data. In the sample error, Bldg_Id = (E0266) CAMPUS-ID, Rm_Id = (E1292) CLASSROOM-IDENTIFICATION-CODE. Based on the error you would search in the Location Complex Type of the EducationOrganizationExtension 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE : Records Inserted - COURSE ATTRIBUTE : Records Inserted - COURSE CRADE_LEVEL : Records Inserted - DISTRICT_VALUE : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR PLODEES : Records Inserted - DISTRICT_VEAR PLODEES : Records Inserted - DISTRICT_VEAR PLODEES :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
cholwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table EducationOrganizationExtension - Building_Room Table 3) Once the interchange with the identified table has been located, search within the interchange for the referenced data. In the sample error, Bldg_Id = (E0266) CAMPUS-ID, Rm_Id = (E1292) CLASSROOM-IDENTIFICATION-CODE. Based on the error you would search in the Location Complex Type of the EducationOrganizationExtension interchange for the SchoolExtension Complex Type for the 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE : Records Inserted - COURSE ATTRIBUTE : Records Inserted - COURSE CRADE_LEVEL : Records Inserted - DISTRICT_VALUE : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR PLODEES : Records Inserted - DISTRICT_VEAR PLODEES : Records Inserted - DISTRICT_VEAR PLODEES :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
cholwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table EducationOrganizationExtension - Building_Room Table 3) Once the interchange with the identified table has been located, search within the interchange for the referenced data. In the sample error, Bldg_Id = (E0266) CAMPUS-ID, Rm_Id = (E1292) CLASSROOM-IDENTIFICATION-CODE. Based on the error you would search in the Location Complex Type of the EducationOrganizationExtension 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE : Records Inserted - COURSE ATTRIBUTE : Records Inserted - COURSE CRADE_LEVEL : Records Inserted - DISTRICT_VALUE : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR PLODEES : Records Inserted - DISTRICT_VEAR PLODEES : Records Inserted - DISTRICT_VEAR PLODEES :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
cholwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table EducationOrganizationExtension - Building_Room Table 3) Once the interchange with the identified table has been located, search within the interchange for the referenced data. In the sample error, Bldg_Id = (E0266) CAMPUS-ID, Rm_Id = (E1292) CLASSROOM-IDENTIFICATION-CODE. Based on the error you would search in the Location Complex Type of the EducationOrganizationExtension interchange for the SchoolExtension Complex Type for the 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE ; Records Inserted - COURSE GRADE_LEVEL : Records Inserted - DISTRICT_FACT : Records Inserted - DISTRICT_FACT : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR_IDENT_VALUE : Records Inserted - DISTRICT_VEAR_IDENT_VALUE :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
:holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - <i>No Building_Room table</i> 2. EducationOrgCalendar - <i>No Building_Room Table</i> 3. EducationOrganizationExtension - <i>Building_Room Table</i> 3) Once the interchange with the identified table has been located, search within the interchange for the referenced data. In the sample error, Bldg_Id = (E0266) CAMPUS-ID, Rm_Id = (E1292) CLASSROOM-IDENTIFICATION-CODE. Based on the error you would search in the Location Complex Type of the EducationOrganizationExtension interchange for the corresponding LocationReference= value.	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE ; Records Inserted - COURSE GRADE_LEVEL : Records Inserted - DISTRICT_FACT : Records Inserted - DISTRICT_FACT : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR_IDENT_VALUE : Records Inserted - DISTRICT_VEAR_IDENT_VALUE :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47
holwhs.Building_Room	Table Cntrlg_District_Code = ######, School_Year = M/DD/YYYY, Bldg_Id =	not present in the identified table. In the sample error, the identified information is: Table name = Scholwhs.Building_Room Referenced data is: Rm_Id = ###-##	 File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL information tab of the following interchanges in order: MasterScheduleExtension - No Building_Room table EducationOrgCalendar - No Building_Room Table EducationOrganizationExtension - Building_Room Table 3) Once the interchange with the identified table has been located, search within the interchange for the referenced data. In the sample error, Bldg_Id = (E0266) CAMPUS-ID, Rm_Id = (E1292) CLASSROOM-IDENTIFICATION-CODE. Based on the error you would search in the Location Complex Type of the EducationOrganizationExtension interchange and then search in the SchoolExtension Complex Type for the corresponding LocationReference= value. 4) To correct the errors, please contact your vendor to correct this missing value in the found XML file and 	Status: ETL Plan Start: ETL Plan End: Table Statistics Records Inserted - BUILDING_ROOM : Records Inserted - COURSE ; Records Inserted - COURSE GRADE_LEVEL : Records Inserted - DISTRICT_FACT : Records Inserted - DISTRICT_FACT : Records Inserted - DISTRICT_VEAR : Records Inserted - DISTRICT_VEAR_IDENT_VALUE : Records Inserted - DISTRICT_VEAR_IDENT_VALUE :	Plan Complete 2018-06-09 17:44 2018-06-09 17:47

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE		
Scholwhs.Course	Values Not in Scholwhs.Course Table	This error occurs when referenced data is	1) To locate the identified table 'Scholwhs.Course', in the eDM Batch Manager when viewing the File	General Information Validation Information	ETL Inform	mation
	District_Code = ######, Location_Id =	not present in the identified table.	Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was			
	#########, School_Year = M/DD/YYYY,		inserted, updated or not changed. If the table name is not listed for the interchange where the error	Status:		(h)
	Reporting_Date = M/DD/YYYY,	In the sample error, the identified	occurred, based on the interchange load order view the previous interchanges in order until you locate	ETL Plan Start:		Complete
	Period_Level_Desc = PEIMS, Course_Id =	information is:	the table name.	ETL Plan Start: ETL Plan End:		06-09 17:44
	#########, Semester = N/A	Table = Scholwhs.Course		ETE Plan Eng:	2018-0	36-09 17:47
		Referenced data is:	In the sample error, if the error occurred in the SUMR StudentEnrollment interchange, view the ETL	Table Statistics		
		Course Id = ########	information tab of the following interchanges in order:	Records Inserted - BUILDING_ROOM :	0	
		Location Id = #########	1. StudentEnrollment - No Course table	Records Inserted - COURSE :	265	
			2. StudentExtension - <i>No Course Table</i>	Records Inserted - COURSE_ATTRIBUTE :	0	
			3. MasterSchedule - No Course Table	Records Inserted - COURSE_GRADE_LEVEL :	0	
			4. EducationOrganization - Course Table	Records Inserted - COURSE_IDENT_VALUE :	265	
				Records Inserted - DISTRICT_FACT :	0	
				Records Inserted - DISTRICT_YEAR : Records Inserted - DISTRICT_YEAR_ADDRESS :	0	
			2) Once the interchange with the identified table has been located, search within the interchange for the	Records Inserted - DISTRICT_YEAR_ADDRESS : Records Inserted - DISTRICT_YEAR_IDENT_VALUE :	0	
			referenced data.	Records Inserted - DISINICI_TEAK_IDENI_VALUE :	U	
			In the sample error, Course_Id = (E0724) SERVICE-ID, Location_Id = (E0266) CAMPUS-ID. Based on the			
			error you would search in the Course Complex type for <id>########</id> at			
			<stateorganizationid>########</stateorganizationid> . No matching data should be found.			
			Note: If the data is found please submit a TIMS ticket with all of the troubleshooting steps performed.			
			3) To correct the errors, please contact your vendor to correct this missing value in the found XML file and			
			all other files. Once corrected, please reload this interchange and the interchange where the error			
			occurred.			
cholwhs.Course_Catalog	Values Not in Scholwhs.Course_Catalog	This error occurs when referenced data is	1) To locate the identified table 'Scholwhs.Course_Catalog', in the eDM Batch Manager when viewing the	Code	1	Date Date
	Table District_Code = ######, School_Year	not present in the identified table.	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data	Table ID Name	XML Name	Issued Updated
	= M/DD/YYYY, Catalog_Course_Cd =		was inserted, updated or not changed. If the table name is not listed for the interchange where the error	C022 SERVICE-ID		4/2/1987 7/1/2018
	########		occurred, based on the interchange load order view the previous interchanges in order until you locate		IdentificationCode	
	ппппппп	In the sample error, the identified	becarred, based on the interentinge load order view the previous interentinges in order until you loade	SERVICE-10	IdentificationCode	4/2/1507 //1/2010
		In the sample error, the identified information is:	the table name.			
	*****				Eligible For Co	ourse
		information is:			Eligible For Co State HS Ab	
		information is: Table = Scholwhs.Course_Catalog	the table name. In the sample error, if the error occurred in the StaffAssociationExtension interchange, view the ETL information tab of the following interchanges in order:		Eligible For Co State HS Ab	ourse bbrev- Course CTE
		information is: Table = Scholwhs.Course_Catalog Referenced data is:	the table name. In the sample error, if the error occurred in the StaffAssociationExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - <i>No Course_Catalog table</i>	Code Translation Use the following codes to identify courses.	Eligible For Co State HS Ab Credit ia N	ourse bbrev- Course CTE
		information is: Table = Scholwhs.Course_Catalog Referenced data is:	the table name. In the sample error, if the error occurred in the StaffAssociationExtension interchange, view the ETL information tab of the following interchanges in order:	Code Translation Use the following codes to identify courses. Grades PK - 6, Elementary	Eligible For Co State HS Ab Credit ia N	ourse bbrev- Course CTE
		information is: Table = Scholwhs.Course_Catalog Referenced data is:	 the table name. In the sample error, if the error occurred in the StaffAssociationExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - No Course_Catalog table 2. EducationOrgCalendar - No Course_Catalog Table 3. EducationOrganizationExtension - Course_Catalog Table 	Code Translation Use the following codes to identify courses. Grades PK - 6, Elementary 01010000 Pre-Kindergarten	Eligible For Co State HS Ab Credit ia N	ourse bbrev- Course CTE
		information is: Table = Scholwhs.Course_Catalog Referenced data is:	the table name. In the sample error, if the error occurred in the StaffAssociationExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - <i>No Course_Catalog table</i> 2. EducationOrgCalendar - <i>No Course_Catalog Table</i>	Code Translation Use the following codes to identify courses. Grades PK - 6, Elementary 01010000 Pre-Kindergarten 01020000 Kindergarten	Eligible For Co State HS Ab Credit ia N N N N N	ourse bbrev- Course CTE
		information is: Table = Scholwhs.Course_Catalog Referenced data is:	the table name. In the sample error, if the error occurred in the StaffAssociationExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - No Course_Catalog table 2. EducationOrgCalendar - No Course_Catalog Table 3. EducationOrganizationExtension - Course_Catalog Table 2) Once the interchange with the identified table has been located, search within the interchange for the referenced data.	Code Translation Use the following codes to identify courses. Grades PK - 6, Elementary 01010000 Pre-Kindergarten	Eligible For Co State HS Ab Credit ia N N N N N	ourse bbrev- Course CTE
		information is: Table = Scholwhs.Course_Catalog Referenced data is:	 the table name. In the sample error, if the error occurred in the StaffAssociationExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - No Course_Catalog table 2. EducationOrgCalendar - No Course_Catalog Table 3. EducationOrganizationExtension - Course_Catalog Table 2) Once the interchange with the identified table has been located, search within the interchange for the referenced data. In the sample error, Catalog_Course_Cd = TEDS Code Table C022 for (E0724) SERVICE-ID. Based on the 	Code Translation Use the following codes to identify courses. Grades PK - 6, Elementary 01010000 Pre-Kindergarten 01020000 Kindergarten 01020100 Transition (Pre-First Grade, Developmental First)	Eligible For Co State HS Ab Credit ia N N N N N	ourse bbrev- Course CTE
		information is: Table = Scholwhs.Course_Catalog Referenced data is:	the table name. In the sample error, if the error occurred in the StaffAssociationExtension interchange, view the ETL information tab of the following interchanges in order: 1. MasterScheduleExtension - No Course_Catalog table 2. EducationOrgCalendar - No Course_Catalog Table 3. EducationOrganizationExtension - Course_Catalog Table 2) Once the interchange with the identified table has been located, search within the interchange for the referenced data.	Code Translation Use the following codes to identify courses. Grades PK - 6, Elementary 01010000 Pre-Kindergarten 01020000 Kindergarten 01020100 Transition (Pre-First Grade, Developmental First) 02000000 Elementary, Grades 1-6	Eligible For Co State HS Ab Credit ia N N N N N N N N N	ourse bbrev- Course CTE

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE			
Scholwhs.Crse_Instruct_Snapshot	Values Not in	This error occurs when referenced data is	1) To locate the identified table 'Scholwhs.Crse_Instruct_Snapshot', in the eDM Batch Manager when			_	
	Scholwhs.Crse_Instruct_Snapshot Table	not present in the identified table.	viewing the File Details, select the ETL Information TAB. The Table Statistics indicate the tables names	General Info	<u>mation</u> <u>Valic</u>	dation Information ET	<u>. Information</u>
	District_Code = ######,		where the data was inserted, updated or not changed. If the table name is not listed for the interchange				
	Location.Location_Id = ###################################	In the sample error, the identified	where the error occurred, based on the interchange load order view the previous interchanges in order	Status:			🌔
	Period.Period_End_Date = M/DD/YYYY,	information is:	until you locate the table name.	Statust			Plan Complete 🔟
	Period.Period_Level_Desc = PEIMS,	Table = Scholwhs.Crse_Instruct_Snapshot		ETL Plan Start:			2018-06-06 16:04
	Marking_Period_Code.Term_Code = N/A,	Referenced data is:	In the sample error, if the error occurred in the TSDS StaffAssociationExtension interchange, view the ETL	ETL Plan End:			2018-06-06 16:06
	Marking_Period_Code.MP_Code = N/A,	Location.Location_Id = ###################################	information tab of the following interchanges in order:				
	Section_Code = ###################################	Section_Code = ###################################	1. StaffAssiciationExtension - No Crse_Instruct_Snapshot table	Table Statistics			
	Course_Seq_Cd = #	Course_Seq_Cd = #	2. MasterScheduleExtension - Crse_Instruct_Snapshot Table		- CRSE INSTRUCT SNAPSHOT :		,
			2) Once the interchange with the identified table has been located, search within the interchange for the		hange - CRSE INSTRUCT SNAPSHO	DT :	-)
			referenced data.	Rows Updated - C	RSE_INSTRUCT_SNAPSHOT :)
			 In the sample error, Location.Location_Id = (E0266) CAMPUS-ID, Section_Code = (E1056) CLASS-ID-NUMBER, and Course_Seq_Cd = (E0948) COURSE-SEQUENCE-CODE. Based on the error you would search in the SectionExtension Complex Type of the MasterScheduleExtension interchange for the value(s) that are identified. No matching data should be found. Note: If the data is found please submit a TIMS ticket with all of the troubleshooting steps performed. 3) To correct the errors, please contact your vendor to correct this missing value in the found XML file and all other files. Once corrected, please reload this interchange and the interchange where the error occurred. 				
Scholwhs.Disc_Response	Values Not in Scholwhs.Disc Response	This error occurs when referenced data is	1) To locate the error, search within the interchange for the referenced data.			I	
	Table District_Code = #######, School_Year		, , , , , , , , , , , , , , , , , , , ,	Code Table ID	Name	XML Name	Date Date Issued Updated
	= M/DD/YYYY, Response_Code = ##		In the sample error, Response_Code = (E1005) DISCIPLINARYACTION-CODE.	C164	DISCIPLINARY-ACTION-CO		
		In the sample error, the identified					
		information is:	2) Based on the error you would search in the DisciplineActionExtension Complex Type of the	Code		Translation	
		Table = Scholwhs.Disc_Response Referenced data is:	StudentDisciplineExtension interchange for the value(s) that are not valid in the TEDS code table. In this case, '##' not valid for Code Table C164.	۱	he following codes apply to a	all students.	
		Response Code = ##		01 8	xpulsion (TEC §37.007)		
			 To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re- extract the XML file and reload it. 			r educational setting as a result of a formal expuls student continues to receive educational services	
				١		ustice alternative education program (JJAEP) as a	result of a formal expulsion
					earing [TEC §37.009(f)]		
				03 E	xpulsion (TEC §37.007)		

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE
Scholwhs.District	Values Not in Scholwhs.District Table District_Code = ######	This error occurs when referenced data is not present in the identified table. In the sample error, the identified information is: Table = Scholwhs.District Referenced data is: District_Code = ######	 To locate the error, search within the interchange for the referenced data. In the sample error, District would be (E0212) DISTRICT-ID. Since DISTRICT-ID indicates the district identification number registered with the Texas Education Agency, you will need to search in the interchange for the value(s) that are in not valid in AskTED. Note: If the data found is valid please submit a TIMS ticket with all of the troubleshooting steps performed. To correct the errors, verify the values in your source system are valid in AskTED. Once adjusted, re- extract the XML file and reload it. 	Texas Education Directory
Scholwhs.District_Marking_Period	Values Not in Scholwhs.District_Marking_Period Table District_Code = ######, School_Year = M/DD/YYYY, Term_Code = Spring Semester,	This error occurs when referenced data is not present in the identified table. In the sample error, the identified	Note: This error occurs when loading historical TSDS StudentTranscriptExtension data for the studentGPS Dashboards. 1) Each historical year StudentTranscriptExtension interchange must be proceeded by the	TSDS Knowledge Base / TSDSKB-197 studentGPS: Historical Data & StudentTranscriptExtension
	MP_Code = N/A, Term_MP_Desc = YYYY- YYYY	information is: Table = Scholwhs.District_Marking_Period Referenced data is: Term_Code = XXXX XXXXXXX Term MP Desc = YYYY-YYYY	EducationOrganizationExtension and EducationOrgCalendarExtension interchange for that year. In the sample error, if loading the historical transcripts for school year YYYY-YYYY, the interchanges needed would be as follows:	Subsystem: studentGPS KB Metadata: Show Description BRIEF INTRODUCTION: This clarifies what StudentTranscript information will be shown once studentGPS Dashboards are activated
			1st TSDS YYYY EducationOrganizationExtension 2nd TSDS YYYY EducationOrgCalendarExtension 3rd TSDS YYYY StudentTranscriptExtension	Task / Description / Diagnosis; To view StudentTranscriptExtension prior to the 2016-2017 school year the ISD must load prior year data for the following two interchangeEducationOrganizationExtension 1) InterchangeEducationOrganizationExtension 2) InterchangeEducationOrganizationExtension
			3) To correct the error, extract the required XML files from your source system and load in the order identified.	Prior year transcript data must be loaded in the corresponding TSDS collection. Example: To load 9015-16 transcript data you must load: • 2016 TSDS InterchangeEducationOrgnanizationExtension • 2016 TSDS InterchangeEducationOrgCalendar TEA will accept up to 4 historical years of grade transcript data.
Scholwhs.GL_Department	Values Not in Scholwhs.GL_Department	This error occurs when referenced data is	1) To locate the error, search within the interchange for the referenced data.	Code Date Date
	Table District_Code = ######, Fiscal_Year = M/DD/YYYY, GL_Dept_Code = ##, Actual_Ind = Y	not present in the identified table. In the sample error, the identified	In the sample error, GL_Dept_Code = (E0317) FUNCTION-CODE.	Table ID Name XML Name Issued Updated C146 FUNCTION-CODE TX-FunctionCodeType 3/1/1996 7/2/2012
		information is: Table = Scholwhs.GL_Department Referenced data is: GL_Dept_Code = ##	2) Based on the error you would search in the ActualExtension Complex Type of the FinanceExtension interchange for the value(s) that are not valid in the TEDS code table. In this case, '##' is not valid for Code Table C146.	Code Budget Payroll Actual 00 No Function Y Y Y 11 Instruction Y Y Y
			<tx-functioncode>00</tx-functioncode>	12 Instructional Resources And Media Services Y Y Y
			3) To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re-	13 Curriculum Development And Instructional Staff Development Y Y Y 21 Instructional Leadership Y Y Y
			extract the XML file and reload it.	23 School Leadership Y Y Y

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFEREN	CE				
Scholwhs.GL_Object	Values Not in Scholwhs.GL_Object Table District_Code = ######, Fiscal_Year =	This error occurs when referenced data is not present in the identified table.	1) To locate the error, search within the interchange for the referenced data.	Code Table ID			(ML Name	Date Issued	Updated
	M/DD/YYYY, GL_Object_Code = ####, Actual_Ind = Y	In the sample error, the identified	In the sample error, GL_Object would be (E0318) OBJECT-CODE.	C159	OBJECT-CODE	TX-O	bjectCodeType		97 8/3/2012 Payroll Actual
		information is: Table = Scholwhs.GL Object	2) Based on the error you would search in the ActualExtension Complex Type of the FinanceExtension interchange for the value(s) that are not valid in the TEDS code table. In this case, '###' is not valid for	Code		Translation		Eligible El	Eligible Eligible
		Referenced data is:	Code Table C159.	3200 3410	Invested in Capital Assets, Net o Non-Spendable - Inventories	f Related Debt			N Y N Y
		GL_Object_Code = ### Actual_Ind = Y	<tx-objectcode>####</tx-objectcode>	3415 3425	Non-Spendable - Long-Term loan Non-Spendable – Endowment Pr				N Y N Y
			3) To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re- extract the XML file and reload it.	3430 3445	Non-Spendable - Prepaid Items Non-Spendable – Other			N	N Y
			extract the Xivic file and reload it.	3450	Restricted for Federal/State Fun	ds Grant Restrictions		N	N Y
Scholwhs.Incident_Offndr	Values Not in Scholwhs.Incident_Offndr Table Incident Id = ###### Enroll Location	This error occurs when referenced data is not present in the identified table.	1) To locate the error, search within the interchange for the referenced data.	Studen	tDisciplineIncidentAssociati	onExtension Comple	х Туре		
	Id = #########, Offnder Person Id =		In the sample error, Incident Id = (E1016) DISCIPLINARY-INCIDENT-NUMBER, Enroll Location Id = (E0782)	Element	ID Data Element	XML Name	TSDS M 1 M 2	PEIMS M 3 M	Potential 4 M Future Us
	#######################################	In the sample error, the identified information is:	CAMPUS-ID-OF-ENROLLMENT and Offnder Person Id = (E1523) TX-UNIQUE-STUDENT-ID.	••	Reference Complex Type Complex Type	StudentReference StudentIdentity			
		Table = Scholwhs.Incident_Offndr Referenced data is:	2) Based on the sample error, you would search in the StudentDiscipline interchange for the value(s) that are not present in the required complex types. In this case, 'TX-UNIQUE-STUDENT-ID ####################################	E1523	TX-UNIQUE-STUDENT-ID Reference Complex Type	StudentUniqueStateId DisciplineIncidentReferer			
		Incident Id = ###### Enroll Location Id = ##########	present in the StudentDisciplineIncidentAssociationExtension Complex Type	** E1006	Reference Type DISCIPLINARY-ACTION-REASON- CODE	(a) ref TX-DisciplinaryActionRea	son		
		Offnder Person Id = ###########	3) To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re- extract the XML file and reload it.	E1083 E0041	BEHAVIOR-LOCATION-CODE PRIMARY-DISABILITY-CODE	TX-BehaviorLocation TX-PrimaryDisability			
				E0882	MULTIPLY-DISABLED-INDICATOR- CODE	TX-MultiplyDisabled			
				E0790	LEP-INDICATOR-CODE	TX-LEPIndicator			

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFEREN	CE			
Scholwhs.Infraction	Values Not in Scholwhs.Infraction Table District_Code = ######, School_Year = M/DD/YYYY, Infraction_Code = ##	This error occurs when referenced data is not present in the identified table. In the sample error, the identified	1) To locate the error, search within the interchange for the referenced data. In the sample error, Infraction_Code = (E1006) DISCIPLINARY-ACTION-REASON-CODE.	Code Table ID C165	Name DISCIPLINARY-ACTION-REASON-CODE	XML Name TX-DisciplinaryActionReasonType	Date Issued 3/2/1998	Date Updated 12/1/2017
		Table name = Scholwhs.Incident_Offndr Referenced data is:	 2) Based on the sample error, you would search in the StudentDiscipline interchange for the value(s) that are not valid in the code table. In this case, '##' is not valid for Code Table C165. 3) To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re-extract the XML file and reload it. 	Code 01	been invoked.) – TEC §37.002(b)	n classroom and denied the student the right to	o return. TEC §3	7.003 has
				02 04 05	37.006(a)(2)(C) and 37.007(b)	137.006(a)(2)(A) he Influence Of Marihuana Or Other Controller he Influence Of An Alcoholic Beverage – TEC §		
Scholwhs.Location	Values Not in Scholwhs.Location Table District_Code = ######, Location_Id = ##########	In the sample error, the identified information is: Table = Scholwhs.Location Referenced data is: Location_Id = #########	 To locate the error, search within the interchange for the referenced data. In the sample error, Location_Id = (E0266) CAMPUS-ID. Since CAMPUS-ID indicates the unique campus identification number registered with the Texas Education Agency, you will need to search in the interchange for the value(s) that are not valid in AskTED. <i>Note: If the data found is valid please submit a TIMS ticket with all of the troubleshooting steps performed.</i> To correct the errors, verify the values in your source system are valid in AskTED. Once adjusted, re- extract the XML file and reload it. 		Ask	ation Directory		

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERE	NCE			
Scholwhs.Location_Fact	Values Not in Scholwhs.Location_Fact Table	This error occurs when referenced data is	1) To locate the identified table 'Scholwhs.Location_Fact', in the eDM Batch Manager when viewing the	ClassRo	riod Complex Type			
	District_Code = ######, Location_Id =	not present in the identified table.	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data	Classre	nou complex type		PEIMS	Potential
	##############, School_Year = M/DD/YYYY,		was inserted, updated or not changed. If the table name is not listed for the interchange where the error	Element I	D Data Element	XML Name	TSDS M 1 M 2 M 3 M 4	
	Reporting Date = $M/DD/YYYY$,	In the sample error, the identified	occurred, based on the interchange load order view the previous interchanges in order until you locate		Reference Type	(a) id		
	Period Level Desc = PEIMS,	information is:	the table name.	E1074	CLASS-PERIOD	ClassPeriodName		
	Fact Category 1 = Class Period Name,	Table = Scholwhs.Location Fact						
	Fact_Category_2 = ##	Referenced data is:	In the sample error, if the error occurred in the TSDS MasterScheduleExtension interchange, view the ETL	Schoo	Extension Complex Type			
		Location Id = ##################################	information tab of the following interchanges in order:	50100	extension complex Type		PEIMS	Potential
		Fact Category 2 = ##	1. MasterScheduleExtension - No Location Fact table	Element	ID Data Element	XML Name	TSDS M 1 M 2 M 3 M 4 M	M Future Use
			2. EducationOrgCalendarExtension - No Location Fact table	E1238	OPERATIONAL-STATUS	OperationalStatus		
			3. EducationOrganizationExtension - <i>Location Fact table</i>	••	Complex Type	AccountabilityRatings		
			S. EducationOrganizationExtension - Location_Fact table	E1102	RATING-TITLE	RatingTitle		
				E1103	RATING	Rating		
			2) Once the interchange with the identified table has been located, search within the interchange for the	E1104	RATING-DATE	RatingDate		
			referenced data.	E1461	ACCOUNTABILITY-RATING-SCHOOL-			
				21401	YEAR	School Con		
			In the sample error, Fact_Category_2 = (E1074) CLASS-PERIOD, Location_Id = (E0266) CAMPUS-ID. Based	E1105	RATING-ORGANIZATION	RatingOrganization		
			on the error you would search in the ClassPeriod Complex Type of the EducationOrganizationExtension	E1106	RATING-PROGRAM	RatingProgram		
			interchange for the value(s) that are identified and then search in the SchoolExtension Complex Type for	••	Reference Complex Type	ProgramReference		
			the corresponding referenced values. No matching data should be found.	••	Reference Complex Type	(a) ref		
					Reference Complex Type			
			First search:		here each and the	ference		
			<classperiod id="CLSPRD ID #"></classperiod>	••	Complex Type	GradesOffered		
			<classperiodname>##</classperiodname>	E1353	CAMPUS-GRADES-OFFERED	GradeLevel		
				••	Complex Type	SchoolCategories		
				E1358	CAMPUS-CATEGORIES	SchoolCategory		
			Then search:	E1354	CAMPUS-TYPE	SchoolType		
			<pre></pre>	E1288	CHARTER-STATUS	CharterStatus		
				E1355	TITLE-I-PART-A-CAMPUS-			
			<stateorganizationid>########</stateorganizationid>	£1355	DESIGNATION	IttlePartAschoolDesignation		
			<nameofinstitution>XXXXXXX</nameofinstitution>	E1356	MAGNET-SPECIAL-PROGRAM-	MagnetSpecialProgramEmpha		
			<organizationcategories></organizationcategories>		EMPHASIS-CAMPUS	sisSchool		
			<organizationcategory>School</organizationcategory>	E1357	ADMINISTRATIVE-FUNDING- CONTROL	AdministrativeFundingControl		
			<gradesoffered></gradesoffered>		Reference Complex Type	LocalEducationAgencyReferen ce		
			<gradelevel>XXXXX</gradelevel>	••	Reference Type	(a) ref		
					Reference Complex Type	EducationalOrgIdentity		
			<schoolcategories></schoolcategories>	E0212	DISTRICT-ID	StateOrganizationId		
			<schoolcategory>XXXX XXXXXX</schoolcategory>	LOZIZ	Reference Complex Type	ClassPeriodReference		
						(a) ref		
			<pre></pre>		Reference Type			
			<pre><li< td=""><td><u> </u></td><td>Reference Complex Type</td><td>LocationReference</td><td></td><td></td></li<></pre>	<u> </u>	Reference Complex Type	LocationReference		
			Note: If the data is found at both logations places submit a TIMC ticket with all of the traublesheeting					
			Note: If the data is found at both locations please submit a TIMS ticket with all of the troubleshooting					
			steps performed.					
			3) To correct the errors, please contact your vendor to correct this missing value in the found XML file and					
			all other files. Once corrected, please reload this interchange and the interchange where the error					
			occurred.					

eDM Error Dictionary

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE				
Scholwhs.Marking_Period_Code	Values Not in Scholwhs.Marking_Period_Code Table School_Year = M/DD/YYYY, Term_Code = XXXX XXXXX, MP_Code = N/A, Term_MP_Desc = ####-####	This error occurs when referenced data is not present in the identified table. In the sample error, the identified information is: Table = Scholwhs.Marking_Period_Code Referenced data is: Term_MP_Desc = ####-####	 To locate the error, search within the interchange for the referenced data. In the sample error, Term_Code = (E1367) SECTION-TERM. Based on the error you would search in the StudentSectionAssociation Complex Type of the StudentEnrolImentExtension interchange for the value(s) that are not valid in the TEDS code table. In this case, '####-####' is not valid for Code Table DC134. <term>XXXX XXXXXX<</term> To correct the errors, verify the values in your source system conform to the TEDS. Once adjusted, re-extract the XML file and reload it. 	Code Table ID DC134 Code 01 02 03 04 05	Name TERM-TYPE Fall Semester Spring Semester Summer Semester First Trimester Second Trimester	XML Name TermType Translation		te Date ued Updated 2012
Scholwhs.Period Values Not in Scholwhs.Period Table District_Code = ######, School_Year = M/DD/YYYY, Period_Level = Fiscal, Fiscal_Period_Num = #								
Scholwhs.Period	District_Code = ######, School_Year = M/DD/YYYY, Period_Level = Fiscal,	In the sample error, the identified information is: Table = Scholwhs.Period Referenced data is: Period_Level = Fiscal	 To locate the error, search within the interchange for the referenced data. In the sample error, Period_Level = (E0974) FISCAL-YEAR. Based on the error you would search in the FinanceExtension interchange for the value(s) referenced in the Fiscal_Period_Num. <tx-fiscalyear>#</tx-fiscalyear> 			Special Instructions	03/03/19 Complex Type BudgetExtension iscal year.	Date Updated 03 5/7/2012 with the project
Scholwhs.Period	District_Code = ######, School_Year = M/DD/YYYY, Period_Level = Fiscal,	not present in the identified table. In the sample error, the identified information is: Table = Scholwhs.Period Referenced data is:	In the sample error, Period_Level = (E0974) FISCAL-YEAR. 2) Based on the error you would search in the FinanceExtension interchange for the value(s) referenced in the Fiscal_Period_Num.	E0974 FISCAL-YEAR is For federal pro until its termin project beginni	FIS XML Name TX-FiscalYear the last digit of the fiscal year, e.g., t	Definition the fiscal year is 4 for the 1993-94 i Special Instructions ode is assigned to a project, that fis which it terminates. For federal pr	03/03/19 Complex Type BudgetExtension iscal year. al year code remains	with the project ne 30, the new
Scholwhs.Period	District_Code = ######, School_Year = M/DD/YYYY, Period_Level = Fiscal,	not present in the identified table. In the sample error, the identified information is: Table = Scholwhs.Period Referenced data is: Period_Level = Fiscal	 In the sample error, Period_Level = (E0974) FISCAL-YEAR. 2) Based on the error you would search in the FinanceExtension interchange for the value(s) referenced in the Fiscal_Period_Num. <tx-fiscalyear>#</tx-fiscalyear> 3) To correct the errors, verify the values in your source system are valid. Once adjusted, re-extract the 	E0974 FISCAL-YEAR is For federal pro until its termin project beginni	FIS XML Name TX-FiscalYear the last digit of the fiscal year, e.g., t grams/projects, once a fiscal year co ation, regardless of the fiscal year in ng on or after July 1 reflects the succ ode Table ID	Definition the fiscal year is 4 for the 1993-94 i Special Instructions ode is assigned to a project, that fiss which it terminates. For federal pr ceeding fiscal year's number. Data Specifications Mandatory in XML NO	03/03/19 Complex Type BudgetExtension iscal year. ial year code remains ojects that lapse on Ju Domain of 0 - 9	vith the project ne 30, the new Values
Scholwhs.Period	District_Code = ######, School_Year = M/DD/YYYY, Period_Level = Fiscal,	not present in the identified table. In the sample error, the identified information is: Table = Scholwhs.Period Referenced data is: Period_Level = Fiscal	 In the sample error, Period_Level = (E0974) FISCAL-YEAR. 2) Based on the error you would search in the FinanceExtension interchange for the value(s) referenced in the Fiscal_Period_Num. <tx-fiscalyear>#</tx-fiscalyear> 3) To correct the errors, verify the values in your source system are valid. Once adjusted, re-extract the 	E0974 FISCAL-YEAR is For federal pro until its termin project beginni	FIS XML Name TX-FiscalYear the last digit of the fiscal year, e.g., t grams/projects, once a fiscal year or or after July 1 reflects the succ	Definition Definition the fiscal year is 4 for the 1993-94 I Special Instructions de is assigned to a project, that fis which it terminates. For federal pr ceeding fiscal year's number. Data Specifications Mandatory in XML	03/03/19 Complex Type BudgetExtension iscal year. al year code remains sjects that lapse on Ju Domain of	33 5/7/2012 with the project ne 30, the new Values

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFEREN	CE		
Scholwhs.Programs_Code	Values Not in Scholwhs.Programs_Code	This error occurs when referenced data is	1) To locate the identified table 'Scholwhs.Programs_Code', in the eDM Batch Manager when viewing the	Code			Date Date
	Table District_Code = ######, School_Year	not present in the identified table.	File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data	Table ID	Name	XML Name	Issued Update
	= M/DD/YYYY, Programs_Code = XXXXXXXXXX	In the sample error, the identified	was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate	DC096	PROGRAM-TYPE	ProgramType	3/1/2012
		information is:	the table name.	Code		Translation	
		Table = Scholwhs.Programs_Code		01	Adult/Continuing Education		
		Referenced data is: Programs Code = XXXXXXXXXX	In the sample error, if the error occurred in the StudentProgramExtension interchange, view the ETL information tab of the following interchanges in order:	02	Alternative Education		
			1. StudentProgramExtension - No Programs_Code table	03	Athletics		
			2. MasterScheduleExtension - No Programs_Code table	04	Bilingual		
			3. EducationOrganizationExtension - <i>Programs_Code table</i>	05	Career and Technical Education		
			2) Once the interchange with the identified table has been located, search within the interchange for the				
			referenced data.	06	Cocurricular Programs		
			In the sample error, Programs Code = (E1337) PROGRAM-TYPE. Based on the error you would search in	07	College Preparatory		
			the Program Complex Type of the EducationOrganizationExtension interchange for the value(s) that are	08	Community Service Program		
			not valid in the TEDS code table. In this case, the value 'XXXXXXXXX' is not valid for Code Table DC096.				
			<pre></pre> <pre></pre>				
			3) To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re-				
			extract the XML file and reload it.				
Scholwhs.Reporting_Interval	Values Not in Scholwhs.Reporting_Interval		1) To locate the error, search within the interchange for the referenced data.	Code			Date Date
	Table School_Year = M/DD/YYYY,	not present in the identified table.	In the sample error Rote Interval (d = (E0934) REPORTING-PERIOD-INDICATOR-CODE	Table ID	Name	XML Name	Issued Updat
	Rotg Interval Cd = #		In the sample error, Rptg_Interval_Cd = (E0934) REPORTING-PERIOD-INDICATOR-CODE.				
	Rptg_Interval_Cd = #	In the sample error, the identified		C130	REPORTING-PERIOD-INDICATOR-CODE	TX-ReportingPeriodType	3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is:	2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are	C130 Code	REPORTING-PERIOD-INDICATOR-CODE	TX-ReportingPeriodType Translation	3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval					3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval Referenced data is:	 2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are not valid in the code table. In this case, '#' is not valid for Code Table C130. 	Code	First Six Weeks Reporting Period		3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval	2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are	Code 1 2	First Six Weeks Reporting Period Second Six Weeks Reporting Period		3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval Referenced data is:	 2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are not valid in the code table. In this case, '#' is not valid for Code Table C130. <reportingperiodextension> <pre> </pre> </reportingperiodextension> <tx-schoolreference> </tx-schoolreference> <educationalorgidentity></educationalorgidentity> 	Code 1 2 3	First Six Weeks Reporting Period Second Six Weeks Reporting Period Third Six Weeks Reporting Period		3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval Referenced data is:	 2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are not valid in the code table. In this case, '#' is not valid for Code Table C130. <reportingperiodextension> <pre> </pre> </reportingperiodextension> <tx-schoolreference> </tx-schoolreference> <stateorganizationid>#########</stateorganizationid> 	Code 1 2 3 4	First Six Weeks Reporting Period Second Six Weeks Reporting Period Third Six Weeks Reporting Period Fourth Six Weeks Reporting Period		3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval Referenced data is:	 2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are not valid in the code table. In this case, '#' is not valid for Code Table C130. <reportingperiodextension> <pre> </pre> </reportingperiodextension> <tx-schoolreference> </tx-schoolreference> <educationalorgidentity></educationalorgidentity> 	Code 1 2 3	First Six Weeks Reporting Period Second Six Weeks Reporting Period Third Six Weeks Reporting Period Fourth Six Weeks Reporting Period Fifth Six Weeks Reporting Period		3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval Referenced data is:	2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are not valid in the code table. In this case, '#' is not valid for Code Table C130. <reportingperiodextension> <tx-schoolreference> <educationalorgidentity> <stateorganizationid>#########</stateorganizationid> </educationalorgidentity> </tx-schoolreference> <tx-schoolreference></tx-schoolreference></reportingperiodextension>	Code 1 2 3 4	First Six Weeks Reporting Period Second Six Weeks Reporting Period Third Six Weeks Reporting Period Fourth Six Weeks Reporting Period		3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval Referenced data is:	2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are not valid in the code table. In this case, '#' is not valid for Code Table C130. <reportingperiodextension> <tx-schoolreference> <educationalorgidentity> <stateorganizationid>#########</stateorganizationid> </educationalorgidentity> </tx-schoolreference> <tx-schoolreference> <tx-schoolyear>YYYY-YYYY</tx-schoolyear> <tx-reportingperiod>#</tx-reportingperiod></tx-schoolreference></reportingperiodextension>	Code 1 2 3 4 5	First Six Weeks Reporting Period Second Six Weeks Reporting Period Third Six Weeks Reporting Period Fourth Six Weeks Reporting Period Fifth Six Weeks Reporting Period	Translation	3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval Referenced data is:	2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are not valid in the code table. In this case, '#' is not valid for Code Table C130. <reportingperiodextension> <tx-schoolreference> <educationalorgidentity> <stateorganizationid>#########</stateorganizationid> </educationalorgidentity> </tx-schoolreference> <tx-schoolreference></tx-schoolreference></reportingperiodextension>	Code 1 2 3 4 5 6	First Six Weeks Reporting Period Second Six Weeks Reporting Period Third Six Weeks Reporting Period Fourth Six Weeks Reporting Period Fifth Six Weeks Reporting Period Sixth Six Weeks Reporting Period	Translation	3/13/1992 3/1/20
	Rptg_Interval_Cd = #	information is: Table name = Scholwhs.Reporting_Interval Referenced data is:	2) Based on the sample error, you would search in the EdOrgCalendar interchange for the value(s) that are not valid in the code table. In this case, '#' is not valid for Code Table C130. <reportingperiodextension> <tx-schoolreference> <educationalorgidentity> <stateorganizationid>#########</stateorganizationid> </educationalorgidentity> </tx-schoolreference> <tx-schoolreference> <tx-schoolyear>YYYY-YYYY</tx-schoolyear> <tx-reportingperiod>#</tx-reportingperiod></tx-schoolreference></reportingperiodextension>	Code 1 2 3 4 5 6 7	First Six Weeks Reporting Period Second Six Weeks Reporting Period Third Six Weeks Reporting Period Fourth Six Weeks Reporting Period Fifth Six Weeks Reporting Period Sixth Six Weeks Reporting Period First Session – OFSDP Credit/Promotion	Translation	3/13/1992 3/1/20

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE				
Scholwhs.SID_Active_Ids	StaffUniqueStateld not in Scholwhs.SID_Active_lds table State_Unique_ld = ###########	This error occurs when referenced data is not present in the Unique ID system. In the sample error, the identified information is: State_Unique_Id = ###################################	 Note: This error occurs in conjunction with 'Values Do Not Match with TSDS Unique ID System StaffUniqueStateId = ###########, SID_Active_IDs.First_Name = JANE, input FirstName = JANE, SID_Active_IDs.Last_Name = DOE, input LastSurname = MARIE DOE'. 1) Search within the interchange for the referenced Unique ID. Note: If the data is found is valid please submit a TIMS ticket with all of the troubleshooting steps performed. 2) To correct the errors, insure the discrepancies between Unique ID and your source system have been resolved. Verify the value is correct in your source system, re-extract the XML file and reload it. 			Manage Unique ID	S	
Scholwhs.Staff_Assign_Code	Values Not in Scholwhs.Staff_Assign_Code Table District_Code = ######, School_Year = M/DD/YYYY, Assignment_Code = ###, Assignment_Cat = PEIMS		 To locate the error, search within the interchange for the referenced data. In the sample error, Staff_Assign_Code = (E0721) ROLE-ID. Based on the error you would search in StaffAssociationExtension interchange for the value(s) that are not valid in the TEDS code table. In this case, '###' is not valid for Code Table C021. <tx-staffrole>###</tx-staffrole> To correct the errors, verify the values in your source system conform to TEDS. Once adjusted, re-extract the XML file and reload it. 	002 A Se 003 A A 004 A A	ssistant/Associate/Deputy Su ssists the superintendent of a	particular school district in any d	icipal may deem approp uties the superintenden	t may deem
Scholwhs.Staff_Cert_Area	Values Not in Scholwhs.Staff_Cert_Area Table District_Code = ######, School_Year = M/DD/YYYY, Cert_Area_Desc = XXXXXXX		 1) To locate the error, search within the interchange for the referenced data. In the sample error, Cert_Area_Desc = (E1489) CREDENTIAL-FIELD-DESCRIPTORDESCRIPTION. 2) Based on the error you would search in the CredentialFieldDescriptor Complex Type of the StaffAssociationExtension interchange for the referenced value(s). In this case, the value 'XXXXXXX' is not valid. <i>No matching data should be found</i>. <credentialfielddescriptor id="ID_##"></credentialfielddescriptor> <codevalue>##</codevalue> <description>XXXXXXX</description> Note: This error can occur when you are using two different source systems for HR and SIS for your StaffAssociationExtension interchanges and the files were loaded out of sequence. Please refer to the following for more information: TSDSKB-307 TSDS PEIMS: StaffAssociationExtension Interchange files when there are different HR and SIS vendors 3) To correct the errors, please contact your vendor to correct this missing value(s) in the XML file. Once corrected please reload the interchange. 	CredentialFie Element ID Data ** Refe E1487 CRE E1489 CRE E1489 CRE DES E1097 ACA ** Refe E0212 DIST Please see TEDS 'S	eldDescriptor Complex a Element erence Type DENTIAL-FIELD-DESCRIPTOR- IE-VALUE DENTIAL-FIELD-DESCRIPTOR- CRIPTION DEMIC-SUBJECT erence Complex Type Frence Complex Type FRICT-ID ection 3 - Description of Data Ele	XML Name (a) id CodeValue Description AcademicSubject	PEI TSDS M 1 M 2 M Ø 0 0 0 Ø 0 0 0 0 Ø 0 0 0 0 0 Ø 0 0 0 0 0 0 Ø 0 <t< td=""><td>MS Potentia 3 M 4 M Puture U </td></t<>	MS Potentia 3 M 4 M Puture U

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE
Scholwhs.Staff_Snapshot	Values Not in Scholwhs.Staff_Snapshot Table District_Code = ######, Staff_ID = ###########, Snapshot_Date = M/DD/YYYY, Period.Period_Level_Desc = TSDS	This error occurs when referenced data is not present in the identified table. In the sample error, the identified information is: Table = Scholwhs.Staff_Snapshot Referenced data is: Staff_ID = ###################################	 Note: This error occurs in conjunction with 'Values Do Not Match with TSDS Unique ID System StaffUniqueStateId = ###########, SID_Active_IDs.First_Name = JANE, input FirstName = JANE, SID_Active_IDs.Last_Name = DOE, input LastSurname = MARIE DOE'. 1) Search within the interchange for the referenced Unique ID. 2) To correct the errors, insure the discrepancies between Unique ID and your source system have been resolved. Verify the value is correct in your source system, re-extract the XML file and reload it. 	Manage Unique IDs
Scholwhs.Stud_Snapshot	Values Not in Scholwhs.Stud_Snapshot Table District_Code = #######, Snapshot_Date = M/DD/YYYY, Period_Level_Desc = TSDS, Student_Id = ############	This error occurs when referenced data is not present in the identified table. In the sample error, the identified information is: Table = Scholwhs.Stud_Snapshot Referenced data is: Student_Id = ####################################	 To locate the identified table 'Scholwhs.Stud_Snapshot', in the eDM Batch Manager when viewing the File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name. In the sample error, if the error occurred in the StudentDisciplineExtension interchange, view the ETL information tab of the following interchanges in order: StudentDisciplineExtenstion - No Stud_Snapshot table StudentParentExtension - Stud_Snapshot Table Once the interchange with the identified table has been located, search within the interchange for the referenced data. In the sample error, Student_Id = (E1523) TX-UNIQUE-STUDENT-ID S. Based on the error you would search in the StudentExtension Complex Type of the StudentParentExtension interchange. <i>No matching data should be found</i>. <studentuniquestateid>#########</studentuniquestateid> StudentUniqueStateId>######## If the error occurs on the StudentParentExtension or StudentExtension interchange, search within the interchange for the referenced Unique ID. To correct the errors, insure the discrepancies between Unique ID and your source system have been resolved. Verify the value is correct in your source system, re-extract the XML file and reload it. 	General Information Validation Information ETL Information Status: Plan Complete ETL Plan Start: 2016-08-15 16:36 ETL Plan End: 2016-08-15 16:37 Table Statistics 79 Records Inserted - CONTACT : 119 Records Inserted - CONTACT_ADDRESS : 21 Records Inserted - CONTACT_FMAIL_ADDRESS : 211 Records Inserted - STUDENT_FACT : 115 Records Inserted - STUD_SNAPSHOT : 57 Records Inserted - STUD_SNAPSHOT : 114

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE	
Scholwhs.Student_Class_Entry_Exit	SAMPLE eDM ERROR Values Not in Scholwhs.Student_Class_Entry_Exit Table District_Code = #######, Location.Location_Id = #########, Period.Period_End_Date = M/DD/YYYY, Period.Period_Level_Desc = TSDS, Student_Id = ##########, Course_Id = #########, Term_Code = Fall Semester	ERROR DESCRIPTION This error occurs when referenced data is not present in the identified table. In the sample error, the identified information is: Table = Scholwhs.Student_Class_Entry_Exit Referenced data is: Location.Location_Id = ####################################	1) To locate the identified table 'Scholwhs.Student_Class_Entry_Exit', in the eDM Batch Manager when viewing the File Details, select the ETL Information TAB. The Table Statistics indicate the table names where the data was inserted, updated or not changed. If the table name is not listed for the interchange where the error occurred, based on the interchange load order view the previous interchanges in order until you locate the table name.	General Information Validation Information Status: Plan ETL Plan Start: 2016	
StaffEducationOrgEmploymentAssociation complex type supplied with no matching Staff/Teacher complex type	StaffEducationOrgEmploymentAssociation complex type supplied with no matching Staff/Teacher complex type StaffUniqueStateId = ###################################	This error occurs when referenced data is not valid. In the sample error, the identified information is: StaffUniqueStateId = ###################################	Note: This error occurs in conjunction with 'Values Not in Scholwhs.Staff_Snapshot Table District_Code = #######, Staff_ID = ##########, Snapshot_Date = M/DD/YYYY, Period.Period_Level_Desc = TSDS'. 1) Search within the interchange for the referenced Unique ID. Note: This error can occur when you are using two different source systems for HR and SIS for your StaffAssociationExtension interchanges and the files were loaded out of sequence. Please refer to the following for more information: TSDSKB-307 TSDS PEIMS: StaffAssociationExtension Interchange files when there are different HR and SIS vendors TSDSKB-267 studentGPS: StaffAssociationExtension Interchange files when there are different HR and SIS vendors 2) To correct the errors, insure the discrepancies between Unique ID and your source system have been resolved. Verify the value is correct in your source system, re-extract the XML file and reload it.	Manage Unique IDs	

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE
ERROR IDENTIFIER Value Not Valid For District	SAMPLE eDM ERROR Value Not Valid For District District_Code = ######, District.Tier_1_Org = ###950, StateOrganizationId for EducationServiceCenterReference = ######	This error occurs when referenced data is not valid. In the sample error, the identified information is: StateOrganizationId for EducationServiceCenterReference = ######	 To locate the error, search within the interchange for the referenced data. In the sample error, StateOrganizationId for EducationServiceCenterReference = E1289 ESC-SERVICE-ID. Since ESC-SERVICE-ID indicates the educational service center identification number registered with the Texas Education Agency, you will need to search in the interchange for the value(s) that are in not valid in 	Texas Education Directory
Values Do Not Match with TSDS Unique ID	S Values Do Not Match with TSDS Unique ID SystemStudentUniqueStateId = #########, SID_Active_IDs.First_Name = JANE, input FirstName = JANE, SID_Active_IDs.Last_Name = DOE, input LastSurname = DOE, SID_Active_IDs.Birthdate = MM/DD/YYYY, input BirthDate = MM/DD/YYYY, SID_Active_IDs.SNum = ##########, input IdentificationCode = ###################################	System	Note: This error occurs in conjunction with 'StudentUniqueStateId not in Scholwhs.SID_Active_Ids table State_Unique_Id = ########### 1) Search within the interchange for the referenced Unique ID. 2) To correct the errors, insure the discrepancies between Unique ID and your source system have been resolved. Verify the value is correct in your source system, re-extract the XML file and reload it.	Manage Unique IDs