

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE									
Scholwhs.Class_Instructor	# Scholwhs.Class_Instructor Location.Location_Id = #####, Staff_Snapshot.Staff_Id = #####, Section_Code = #####, Crse_Instruct_Snapshot.Course_Seq_Cd = #, Instr_Start_Dt = M/DD/YYYY	PEIMS Staff - Teacher Class Assignment Field Validation failure. The combination of the following fields must be unique for each TeacherSection Association: TX-UNIQUE-STAFF-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and ASSIGNMENT-BEGINDATE.	<p>1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: TX-UNIQUE-STAFF-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and ASSIGNMENT-BEGIN-DATE.</p> <p>Note: In the sample error, the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count).</p> <p>2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error, Location_Id = CAMPUS-ID, Staff_Id = TX-UNIQUE-STAFF-ID, Section_Code = CLASS-ID-NUMBER, Course_Seq_Cd = COURSE-SEQUENCE-CODE, Instr_Start_Dt = ASSIGNMENT-BEGIN-DATE.</p> <pre> <TeacherSectionAssociation> <TeacherReference> <StaffIdentity> <StaffUniqueStateld>#####</StaffUniqueStateld> </StaffIdentity> </TeacherReference> <SectionReference> <SectionIdentity> <StateOrganizationId>#####</StateOrganizationId> <UniqueSectionCode>#####</UniqueSectionCode> </SectionIdentity> </SectionReference> <BeginDate>YYYY-MM-DD</BeginDate> <EndDate>YYYY-MM-DD</EndDate> <TX-ClassRole>##</TX-ClassRole> <TX-CourseSequence>X</TX-CourseSequence> <TX-StaffRole>###</TX-StaffRole> </TeacherSectionAssociation> </pre> <p>3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.</p>	<table border="1"> <thead> <tr> <th data-bbox="1379 204 1434 220">Legacy Edit #</th> <th data-bbox="1434 204 1514 220">Rule #</th> <th data-bbox="1514 204 1936 220">Rule Text / Business Meaning</th> </tr> </thead> <tbody> <tr> <td data-bbox="1379 220 1434 237">3050A</td> <td data-bbox="1434 220 1514 237">30305-000A</td> <td data-bbox="1514 220 1936 277">The combination of the following fields must be unique for each Teacher Section Association: TX-UNIQUE-STAFF-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and ASSIGNMENT-BEGIN-DATE.</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1514 277 1936 318">The combination of the following fields must be unique for each Teacher Section Association: StaffUniqueStateld, StateOrganizationId, UniqueSectionCode, TX-CourseSequence, and BeginDate.</td> </tr> </tbody> </table>	Legacy Edit #	Rule #	Rule Text / Business Meaning	3050A	30305-000A	The combination of the following fields must be unique for each Teacher Section Association: TX-UNIQUE-STAFF-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and ASSIGNMENT-BEGIN-DATE.			The combination of the following fields must be unique for each Teacher Section Association: StaffUniqueStateld, StateOrganizationId, UniqueSectionCode, TX-CourseSequence, and BeginDate.
Legacy Edit #	Rule #	Rule Text / Business Meaning											
3050A	30305-000A	The combination of the following fields must be unique for each Teacher Section Association: TX-UNIQUE-STAFF-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and ASSIGNMENT-BEGIN-DATE.											
		The combination of the following fields must be unique for each Teacher Section Association: StaffUniqueStateld, StateOrganizationId, UniqueSectionCode, TX-CourseSequence, and BeginDate.											

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE						
Scholwhs.Class_Summary	# Scholwhs.Class_Summary Location.Location_Id = #####, Course.Course_Id = #####, Staff_Snapshot.Staff_Id = #####, Staff_Assign_Code.Assignment_Code = ##, Alt_Section_Code = #####	PEIMS Staff - Responsibility Field Validation failure. For a staff Responsibility where ROLE-ID is: 002 Art Therapist, 007 Corrective Therapist, 015 Music Therapist, 016 Occupational Therapist, 017 Certified Orientation and /Mobility Specialist (COMS), 018 Physical Therapist, 021 Recreational Therapist, 026 Speech Therapist/Speech /Language Pathologist, 032 Work-Based Learning Site /Coordinator, 033 Educational Aide, 036 Certified Interpreter, 047 Substitute Teacher, or 087 Teacher the combination of the following fields must be unique for each staff responsibility: DISTRICT-ID, TX-UNIQUE-STAFF-ID, CAMPUS-ID, ROLE-ID, SERVICE-ID, and CLASS-ID-NUMBER.	1) The duplicate error is occurring as a result of the TSDS PEIMS validation rule stating the combination of the following fields must be unique: DISTRICT-ID, TX-UNIQUE-STAFF-ID, CAMPUS-ID, ROLE-ID, SERVICE-ID, and CLASS-ID-NUMBER. Note: In the sample error , the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count). 2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error , Location_Id = CAMPUS-ID, Course_Id = SERVICE-ID, Staff_Id = TX-UNIQUE-STAFF-ID, Assignment_Code = ROLE-ID, Alt_Section_Code = CLASS-ID-NUMBER. <StaffResponsibilitiesExtension> <TX-LEAReference> <EducationalOrgIdentity> <StateOrganizationId>#####</StateOrganizationId> </EducationalOrgIdentity> </TX-LEAReference> <TX-StaffReference> <StaffIdentity> <StaffUniqueStateId>#####</StaffUniqueStateId> </StaffIdentity> </TX-StaffReference> <TX-SchoolReference> <EducationalOrgIdentity> <StateOrganizationId>#####</StateOrganizationId> </EducationalOrgIdentity> </TX-SchoolReference> <TX-StaffRole>###</TX-StaffRole> <TX-ServiceId>#####</TX-ServiceId> <TX-UniqueSectionCode>#####</TX-UniqueSectionCode> <TX-PopulationServed>##</TX-PopulationServed> <TX-NumberOfStudentsInClass>##</TX-NumberOfStudentsInClass> <TX-ClassTypeCode>##</TX-ClassTypeCode> <TX-MonthlyMinutes>###</TX-MonthlyMinutes> </StaffResponsibilitiesExtension> 3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.	<table border="1"> <thead> <tr> <th data-bbox="1377 170 1430 186">Legacy Edit #</th> <th data-bbox="1430 170 1514 186">Rule #</th> <th data-bbox="1514 170 1936 186">Rule Text / Business Meaning</th> </tr> </thead> <tbody> <tr> <td data-bbox="1377 186 1430 203">0900B</td> <td data-bbox="1430 186 1514 203">30090-000B</td> <td data-bbox="1514 186 1936 527"> For a staff Responsibility where ROLE-ID is: 002 Art Therapist, 007 Corrective Therapist, 015 Music Therapist, 016 Occupational Therapist, 017 Certified Orientation and /Mobility Specialist (COMS), 018 Physical Therapist, 021 Recreational Therapist, 026 Speech Therapist/Speech /Language Pathologist, 032 Work-Based Learning Site /Coordinator, 033 Educational Aide, 036 Certified Interpreter, 047 Substitute Teacher, or 087 Teacher the combination of the following fields must be unique for each staff responsibility: DISTRICT-ID, TX-UNIQUE-STAFF-ID, CAMPUS-ID, ROLE-ID, SERVICE-ID, and CLASS-ID-NUMBER. For a staff Responsibility where TX-StaffRole is instructional, the combination of following fields must be unique for each staff responsibility: StateOrganizationId (LEAReference), StaffUniqueStateId, StateOrganizationId (SchoolReference), TX-StaffRole, TX-ServiceId, and UniqueSectionCode. </td> </tr> </tbody> </table>	Legacy Edit #	Rule #	Rule Text / Business Meaning	0900B	30090-000B	For a staff Responsibility where ROLE-ID is: 002 Art Therapist, 007 Corrective Therapist, 015 Music Therapist, 016 Occupational Therapist, 017 Certified Orientation and /Mobility Specialist (COMS), 018 Physical Therapist, 021 Recreational Therapist, 026 Speech Therapist/Speech /Language Pathologist, 032 Work-Based Learning Site /Coordinator, 033 Educational Aide, 036 Certified Interpreter, 047 Substitute Teacher, or 087 Teacher the combination of the following fields must be unique for each staff responsibility: DISTRICT-ID, TX-UNIQUE-STAFF-ID, CAMPUS-ID, ROLE-ID, SERVICE-ID, and CLASS-ID-NUMBER. For a staff Responsibility where TX-StaffRole is instructional, the combination of following fields must be unique for each staff responsibility: StateOrganizationId (LEAReference), StaffUniqueStateId, StateOrganizationId (SchoolReference), TX-StaffRole, TX-ServiceId, and UniqueSectionCode.
Legacy Edit #	Rule #	Rule Text / Business Meaning								
0900B	30090-000B	For a staff Responsibility where ROLE-ID is: 002 Art Therapist, 007 Corrective Therapist, 015 Music Therapist, 016 Occupational Therapist, 017 Certified Orientation and /Mobility Specialist (COMS), 018 Physical Therapist, 021 Recreational Therapist, 026 Speech Therapist/Speech /Language Pathologist, 032 Work-Based Learning Site /Coordinator, 033 Educational Aide, 036 Certified Interpreter, 047 Substitute Teacher, or 087 Teacher the combination of the following fields must be unique for each staff responsibility: DISTRICT-ID, TX-UNIQUE-STAFF-ID, CAMPUS-ID, ROLE-ID, SERVICE-ID, and CLASS-ID-NUMBER. For a staff Responsibility where TX-StaffRole is instructional, the combination of following fields must be unique for each staff responsibility: StateOrganizationId (LEAReference), StaffUniqueStateId, StateOrganizationId (SchoolReference), TX-StaffRole, TX-ServiceId, and UniqueSectionCode.								

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE									
Scholwhs.GL_Fact	# Scholwhs.GL_Fact Period.Fiscal_Period_Num = #, GL_Department.GL_Dept_Code = ##, GL_Fund_Source.GL_Fund_Source_Code = ###, GL_Object.GL_Object_Code = ####, GL_Program.GL_Program_Code = ##, GL_Version.GL_Version_Code = ACTUAL, Org_Cd = ###	PEIMS Finance - Actual Field Validation failure. The combination of the following fields must be unique for Actual Financial data: DISTRICT-ID, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, FISCAL-YEAR, and PROGRAM-INTENT-CODE.	<p>1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: DISTRICT-ID, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, FISCAL-YEAR, and PROGRAM-INTENT-CODE.</p> <p>Note: In the sample error, the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count).</p> <p>2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error, Fiscal_Period_Num = FISCAL-YEAR, GL_Dept_Code = FUNCTION-CODE, GL_Fund_Source_Code = FUND-CODE, GL_Object_Code = OBJECT-CODE, GL_Program_Code = PROGRAM-INTENT-CODE, GL_Version_Code = ACTUAL, Org_Cd = ORGANIZATION-CODE.</p> <pre><ActualExtension> <TX-LEAReference> <EducationalOrgIdentity> <StateOrganizationId>#####</StateOrganizationId> </EducationalOrgIdentity> </TX-LEAReference> <TX-FiscalYear>##</TX-FiscalYear> <TX-Amount>#####</TX-Amount> <TX-FundCode>###</TX-FundCode> <TX-FunctionCode>##</TX-FunctionCode> <TX-ObjectCode>###</TX-ObjectCode> <TX-OrganizationCode>###</TX-OrganizationCode> <TX-ProgramIntentCode>##</TX-ProgramIntentCode> </ActualExtension></pre> <p>3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.</p>	<table border="1"> <thead> <tr> <th data-bbox="1377 170 1430 186">Legacy Edit #</th> <th data-bbox="1430 170 1514 186">Rule #</th> <th data-bbox="1514 170 1936 186">Rule Text / Business Meaning</th> </tr> </thead> <tbody> <tr> <td data-bbox="1377 186 1430 203">0320A</td> <td data-bbox="1430 186 1514 203">20032-000A</td> <td data-bbox="1514 186 1936 235">The combination of the following fields must be unique for Actual Financial data: DISTRICT-ID, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, FISCAL-YEAR, and PROGRAM-INTENT-CODE.</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1514 235 1936 284">The combination of the following fields must be unique for Actual Financial data: StateOrganizationId (TX-LEAReference), TX-FundCode, TX-FunctionCode, TX-ObjectCode, TX-OrganizationCode, TX-FiscalYear, and TX-ProgramIntentCode.</td> </tr> </tbody> </table>	Legacy Edit #	Rule #	Rule Text / Business Meaning	0320A	20032-000A	The combination of the following fields must be unique for Actual Financial data: DISTRICT-ID, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, FISCAL-YEAR, and PROGRAM-INTENT-CODE.			The combination of the following fields must be unique for Actual Financial data: StateOrganizationId (TX-LEAReference), TX-FundCode, TX-FunctionCode, TX-ObjectCode, TX-OrganizationCode, TX-FiscalYear, and TX-ProgramIntentCode.
Legacy Edit #	Rule #	Rule Text / Business Meaning											
0320A	20032-000A	The combination of the following fields must be unique for Actual Financial data: DISTRICT-ID, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, FISCAL-YEAR, and PROGRAM-INTENT-CODE.											
		The combination of the following fields must be unique for Actual Financial data: StateOrganizationId (TX-LEAReference), TX-FundCode, TX-FunctionCode, TX-ObjectCode, TX-OrganizationCode, TX-FiscalYear, and TX-ProgramIntentCode.											
Scholwhs.Incident	# Scholwhs.Incident.Incident_Id = #####, Location.Location_Id = #####	PEIMS Student - Disciplinary Action Field Validation failure. The combination of the following fields must be unique for each Discipline Incident: DISCIPLINARY-INCIDENT-NUMBER and CAMPUS-ID-OF-ENROLLMENT.	<p>1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: DISCIPLINARY-INCIDENT-NUMBER and CAMPUS-ID-OF-ENROLLMENT.</p> <p>Note: In the sample error, the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count).</p> <p>2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error, Incident_Id = DISCIPLINARY-INCIDENT-NUMBER, Location_Id = CAMPUS-ID-OF-ENROLLMENT.</p> <pre><DisciplineIncident id="ID #####> <IncidentIdentifier>#####</IncidentIdentifier> <TX-CampusIdOfEnrollment>#####</TX-CampusIdOfEnrollment> </DisciplineIncident></pre> <p>3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.</p>	<table border="1"> <tbody> <tr> <td data-bbox="1430 750 1514 766">44425-000D</td> <td data-bbox="1514 750 1936 799">The combination of the following fields must be unique for each Discipline Incident: DISCIPLINARY-INCIDENT-NUMBER and CAMPUS-ID-OF-ENROLLMENT.</td> </tr> <tr> <td></td> <td data-bbox="1514 799 1936 823">The combination of the following fields must be unique for each Discipline Incident: IncidentIdentifier and TX-CampusIdOfEnrollment.</td> </tr> </tbody> </table>	44425-000D	The combination of the following fields must be unique for each Discipline Incident: DISCIPLINARY-INCIDENT-NUMBER and CAMPUS-ID-OF-ENROLLMENT.		The combination of the following fields must be unique for each Discipline Incident: IncidentIdentifier and TX-CampusIdOfEnrollment.					
44425-000D	The combination of the following fields must be unique for each Discipline Incident: DISCIPLINARY-INCIDENT-NUMBER and CAMPUS-ID-OF-ENROLLMENT.												
	The combination of the following fields must be unique for each Discipline Incident: IncidentIdentifier and TX-CampusIdOfEnrollment.												

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE
Scholwhs.Incident_Person	# Scholwhs.Incident_Person Incident.Incident_Id = #####, Person.Person_Id = #####, Person_Role_Desc = Perpetrator	PEIMS Student - Disciplinary Action Field Validation failure. The combination of the following fields must be unique for each Student Discipline Incident Association: TX-UNIQUE-STUDENT-ID and DisciplineIncidentReference.	1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: TX-UNIQUE-STUDENT-ID and DisciplineIncidentReference. Note: In the sample error , the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count). 2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error , Incident_Id = DisciplineIncidentReference, Person_Id = TX-UNIQUE-STUDENT-ID, Person_Role_Desc = Perpetrator. <StudentDisciplineIncidentAssociation> <StudentReference> <StudentIdentity> <StudentUniqueStateId>#####</StudentUniqueStateId> </StudentIdentity> </StudentReference> <DisciplineIncidentReference ref="ID_#####_#####"/> <TX-DisciplinaryActionReason>##</TX-DisciplinaryActionReason> <TX-BehaviorLocation>##</TX-BehaviorLocation> </StudentDisciplineIncidentAssociation> 3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.	44425-000G The combination of the following fields must be unique for each Student Discipline Incident Association: TX-UNIQUE-STUDENT-ID and DisciplineIncidentReference.
Scholwhs.Location_Fact	# Scholwhs.Location_Fact Location.Location_Id = #####, Fact_Category_1 = Class Period Name, Fact_Category_2 = XXXX	PEIMS Organization - Class Period Field Validation failure. CLASS-PERIOD must be unique for each Class Period.	1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: CLASS-PERIOD. Note: In the sample error , the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count). 2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error , Fact_Category_1 = Class Period Name, Fact_Category_2 = CLASS-PERIOD. <ClassPeriod id="CPER_XXXX"> <ClassPeriodName>XXXX</ClassPeriodName> </ClassPeriod> 3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.	Legacy Edit # Rule # Rule Text / Business Meaning 10040-000A CLASS-PERIOD must be unique for each Class Period. ClassPeriodName must be unique for each Class Period.
Scholwhs.School_Entry_Exit	# Scholwhs.School_Entry_Exit Location.Location_Id = #####, Stud_Snapshot.Student_Id = #####	PEIMS Student - Enrollment Field Validation failure. The combination of the following fields must be unique for each student Enrollment (Student School Association): TX-UNIQUE-STUDENT-ID and CAMPUS-ID.	1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: TX-UNIQUE-STUDENT-ID and CAMPUS-ID. Note: In the sample error , the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count). 2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error , Location_Id = CAMPUS-ID, Student_Id = TX-UNIQUE-STUDENT-ID. <StudentSchoolAssociation> <StudentReference> <StudentIdentity> <StudentUniqueStateId>#####</StudentUniqueStateId> </StudentIdentity> </StudentReference> <SchoolReference> <EducationalOrgIdentity> <StateOrganizationId>#####</StateOrganizationId> </EducationalOrgIdentity> </SchoolReference> <TX-GradeLevel>##</TX-GradeLevel> <TX-Attribution>##</TX-Attribution> </StudentSchoolAssociation> 3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.	Legacy Edit # Rule # Rule Text / Business Meaning 1100A 40110-000A The combination of the following fields must be unique for each student Enrollment (Student School Association): TX-UNIQUE-STUDENT-ID and CAMPUS-ID. The combination of the following fields must be unique for each student Enrollment (Student School Association): StudentUniqueStateId and StateOrganizationId (SchoolReference).

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE									
Scholwhs.Staff_GL_Fact	# Scholwhs.Staff_GL_Fact Period.Fiscal_Period_Num = #, Staff_Snapshot.Staff_Id = #####, GL_Account.GL_Account_Code = ##, GL_Department.GL_Dept_Code = ##, GL_Fund_Source.GL_Fund_Source_Code = ###, GL_Object.GL_Object_Code = ####, GL_Program.GL_Program_Code = ##, Org_Cd = ##	PEIMS Staff - Payroll Field Validation failure. The combination of the following fields must be unique for each staff Payroll: DISTRICT-ID, TX-UNIQUE-STAFF-ID, FISCAL-YEAR, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, PROGRAM-INTENT-CODE, and PAYROLL-ACTIVITY-CODE.	<p>1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: DISTRICT-ID, TX-UNIQUE-STAFF-ID, FISCAL-YEAR, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, PROGRAM-INTENT-CODE, and PAYROLL-ACTIVITY-CODE.</p> <p>Note: In the sample error, the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count).</p> <p>2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error, Fiscal_Period_Num = FISCAL-YEAR, Staff_Id = TX-UNIQUE-STAFF-ID, GL_Account_Code = PAYROLL-ACTIVITY-CODE, GL_Dept_Code = FUNCTION-CODE, GL_Fund_Source_Code = FUND-CODE, GL_Object_Code = OBJECT-CODE, GL_Program_Code = PROGRAM-INTENT-CODE, Org_Cd = ORGANIZATION-CODE.</p> <pre> <PayrollExtension> <TX-LEAReference> <EducationalOrgIdentity> <StateOrganizationId>#####</StateOrganizationId> </EducationalOrgIdentity> </TX-LEAReference> <TX-StaffReference> <StaffIdentity> <StaffUniqueStatId>#####</StaffUniqueStatId> </StaffIdentity> </TX-StaffReference> <TX-FiscalYear>#</TX-FiscalYear> <TX-Amount>###</TX-Amount> <TX-FundCode>##</TX-FundCode> <TX-FunctionCode>##</TX-FunctionCode> <TX-ObjectCode>###</TX-ObjectCode> <TX-OrganizationCode>###</TX-OrganizationCode> <TX-ProgramIntentCode>##</TX-ProgramIntentCode> <TX-PayrollActivityCode>##</TX-PayrollActivityCode> </PayrollExtension> </pre> <p>3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.</p>	<table border="1"> <thead> <tr> <th data-bbox="1377 164 1430 180">Legacy Edit #</th> <th data-bbox="1430 164 1514 180">Rule #</th> <th data-bbox="1514 164 1936 180">Rule Text / Business Meaning</th> </tr> </thead> <tbody> <tr> <td data-bbox="1377 180 1430 261">0600A</td> <td data-bbox="1430 180 1514 261">30060-000A</td> <td data-bbox="1514 180 1936 261">The combination of the following fields must be unique for each staff Payroll: DISTRICT-ID, TX-UNIQUE-STAFF-ID, FISCAL-YEAR, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, PROGRAM-INTENT-CODE, and PAYROLL-ACTIVITY-CODE.</td> </tr> <tr> <td></td> <td></td> <td data-bbox="1514 261 1936 326">The combination of the following fields must be unique for each staff Payroll: StateOrganizationId, StaffUniqueStatId, TX-FiscalYear, TX-FundCode, TX-FunctionCode, TX-ObjectCode, TX-OrganizationCode, TX-ProgramIntentCode, and TX-PayrollActivityCode.</td> </tr> </tbody> </table>	Legacy Edit #	Rule #	Rule Text / Business Meaning	0600A	30060-000A	The combination of the following fields must be unique for each staff Payroll: DISTRICT-ID, TX-UNIQUE-STAFF-ID, FISCAL-YEAR, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, PROGRAM-INTENT-CODE, and PAYROLL-ACTIVITY-CODE.			The combination of the following fields must be unique for each staff Payroll: StateOrganizationId, StaffUniqueStatId, TX-FiscalYear, TX-FundCode, TX-FunctionCode, TX-ObjectCode, TX-OrganizationCode, TX-ProgramIntentCode, and TX-PayrollActivityCode.
Legacy Edit #	Rule #	Rule Text / Business Meaning											
0600A	30060-000A	The combination of the following fields must be unique for each staff Payroll: DISTRICT-ID, TX-UNIQUE-STAFF-ID, FISCAL-YEAR, FUND-CODE, FUNCTION-CODE, OBJECT-CODE, ORGANIZATION-CODE, PROGRAM-INTENT-CODE, and PAYROLL-ACTIVITY-CODE.											
		The combination of the following fields must be unique for each staff Payroll: StateOrganizationId, StaffUniqueStatId, TX-FiscalYear, TX-FundCode, TX-FunctionCode, TX-ObjectCode, TX-OrganizationCode, TX-ProgramIntentCode, and TX-PayrollActivityCode.											

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE		
Scholwhs.Student_Class_Entry_Exit	# Scholwhs.Student_Class_Entry_Exit Location.Location_Id = #####, Period.Period_End_Date for BeginDate = M/D/YYYY, Stud_Snapshot.Student_Id = #####, Section_Code = #####, Crse_Instruct_Snapshot.Course_Seq_Cd = #	PEIMS Student - Enrollment Field Validation failure. The combination of the following fields must be unique for each Student Section Association: TX-UNIQUE-STUDENT-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and STUDENT-BEGIN-DATE.	<p>1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: TX-UNIQUE-STUDENT-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and STUDENT-BEGIN-DATE.</p> <p>Note: In the sample error, the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count).</p> <p>2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error, Location_Id = CAMPUS-ID, Period_End_Date for BeginDate = STUDENT-BEGIN-DATE, Student_Id = TX-UNIQUE-STUDENT-ID, Section_Code = CLASS-ID-NUMBER, Course_Seq_Cd = COURSE-SEQUENCE-CODE.</p> <pre><StudentSectionAssociation> <StudentReference> <StudentIdentity> <StudentUniqueStateId>#####</StudentUniqueStateId> </StudentIdentity> </StudentReference> <SectionReference> <SectionIdentity> <StateOrganizationId>#####</StateOrganizationId> <UniqueSectionCode>#####</UniqueSectionCode> </SectionIdentity> </SectionReference> <BeginDate>YYYY-MM-DD</BeginDate> <EndDate>YYYY-MM-DD</EndDate> <TX-CourseSequence>#</TX-CourseSequence> <TX-CourseCompletionIndicator>#</TX-CourseCompletionIndicator> </StudentSectionAssociation></pre> <p>3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.</p>	<table border="1"> <tr> <td data-bbox="1377 164 1430 302">40110-000E</td> <td data-bbox="1430 164 1936 302"> <p>The combination of the following fields must be unique for each Student Section Association: TX-UNIQUE-STUDENT-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and STUDENT-BEGIN-DATE.</p> <p>The combination of the following fields must be unique for each Student Section Association: StudentUniqueStateId, StateOrganizationId (SectionReference), UniqueSectionCode, TX-CourseSequence, and BeginDate.</p> </td> </tr> </table>	40110-000E	<p>The combination of the following fields must be unique for each Student Section Association: TX-UNIQUE-STUDENT-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and STUDENT-BEGIN-DATE.</p> <p>The combination of the following fields must be unique for each Student Section Association: StudentUniqueStateId, StateOrganizationId (SectionReference), UniqueSectionCode, TX-CourseSequence, and BeginDate.</p>
40110-000E	<p>The combination of the following fields must be unique for each Student Section Association: TX-UNIQUE-STUDENT-ID, CAMPUS-ID, CLASS-ID-NUMBER, COURSE-SEQUENCE-CODE, and STUDENT-BEGIN-DATE.</p> <p>The combination of the following fields must be unique for each Student Section Association: StudentUniqueStateId, StateOrganizationId (SectionReference), UniqueSectionCode, TX-CourseSequence, and BeginDate.</p>					

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE		
Scholwhs.Student_Class_Grade_Detail	# Scholwhs.Student_Class_Grade_Detail Location.Location_Id = #####, Stud_Snapshot.Student_Id = #####, Course.Course_Id = #####, Section_Code = #####, Course_Seq_Cd = #	PEIMS Student - Course Completion Field Validation failure. The combination of the following fields must be unique for each Course Transcript: COURSE-IDENTIFICATION-SYSTEM, SERVICE-ID, CAMPUS-ID, StudentAcademicRecordReference, COURSE-SEQUENCE-CODE, and CLASS-ID-NUMBER.	<p>1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: COURSE-IDENTIFICATION-SYSTEM, SERVICE-ID, CAMPUS-ID, StudentAcademicRecordReference, COURSE-SEQUENCE-CODE, and CLASS-ID-NUMBER.</p> <p>Note: In the sample error, the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count).</p> <p>2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error, Location_Id = CAMPUS-ID, Student_Id = StudentAcademicRecordReference, Course_Id = SERVICE-ID, Section_Code = CLASS-ID-NUMBER, Course_Seq_Cd = COURSE-SEQUENCE-CODE.</p> <pre><CourseTranscript> <CourseReference> <CourseIdentity> <CourseCode IdentificationSystem="State course code"> <ID#####>/ID> </CourseCode> </CourseIdentity> </CourseReference> <EducationOrganizationReference> <EducationOrgIdentity> <StateOrganizationId#####>/StateOrganizationId> </EducationOrgIdentity> </EducationOrganizationReference> <StudentAcademicRecordReference ref="STUACREC_SAR_#####"/> <TX-GradeLevel>##</TX-GradeLevel> <TX-PassFailCreditIndicator>##</TX-PassFailCreditIndicator> <TX-DualCreditIndicator>##</TX-DualCreditIndicator> <TX-ATCIndicator>##</TX-ATCIndicator> <TX-CollegeCreditHours>##</TX-CollegeCreditHours> <TX-CampusIdOfEnrollment>#####</TX-CampusIdOfEnrollment> <TX-CourseSequence>##</TX-CourseSequence> <UniqueSectionCode>#####</UniqueSectionCode> </CourseTranscript></pre> <p>3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.</p>	Legacy Edit # 4150A	Rule # 43415-000A	<p>Rule Text / Business Meaning</p> <p>The combination of the following fields must be unique for each Course Transcript: COURSE-IDENTIFICATION-SYSTEM, SERVICE-ID, CAMPUS-ID, StudentAcademicRecordReference, COURSE-SEQUENCE-CODE, and CLASS-ID-NUMBER.</p> <p>The combination of the following fields must be unique for each Course Transcript: CourseReference, EducationOrganizationReference, StudentAcademicRecordReference, TX-CourseSequence, and UniqueSectionCode.</p>

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE
Scholwhs.Title1_Programs	# Scholwhs.Title1_Programs Location.Location_Id = ##### Stud_Snapshot.Student_Id = #####	PEIMS Student - Title I, Part A Program Field Validation failure. The combination of the following fields must be unique for each Student Title I Part A Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.	<p>1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.</p> <p>Note: In the sample error, the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count).</p> <p>2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error, Location_Id = DISTRICT-ID, Student_Id = TX-UNIQUE-STUDENT-ID.</p> <pre> <StudentTitlePartAProgramAssociationExtension> <StudentReference> <StudentIdentity> <StudentUniqueStateId>#####</StudentUniqueStateId> </StudentIdentity> </StudentReference> <EducationOrganizationReference> <EducationalOrgIdentity> <StateOrganizationId>#####</StateOrganizationId> </EducationalOrgIdentity> </EducationOrganizationReference> <TX-CampusIdOfEnrollment>#####</TX-CampusIdOfEnrollment> <TX-TitlePartAServices> <TX-TitlePartAReadingIndicator>#</TX-TitlePartAReadingIndicator> <TX-TitlePartAMathematicsIndicator>#</TX-TitlePartAMathematicsIndicator> <TX-TitlePartAScienceIndicator>#</TX-TitlePartAScienceIndicator> <TX-TitlePartASocialStudiesIndicator>#</TX-TitlePartASocialStudiesIndicator> </TX-TitlePartAServices> <TX-TitlePartASupportServices> <TX-GuidanceCounselingServices>#</TX-GuidanceCounselingServices> <TX-SocialWorkServices>#</TX-SocialWorkServices> <TX-HealthServices>#</TX-HealthServices> </TX-TitlePartASupportServices> </StudentTitlePartAProgramAssociationExtension> </pre> <p>3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.</p>	<p>41461-000C</p> <p>The combination of the following fields must be unique for each Student Title I Part A Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.</p> <p>The combination of the following fields must be unique for each Student Title I Part A Program Association: StateOrganizationId (EducationOrganizationReference) and StudentUniqueStateId.</p>

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE									
Scholwhs.TX_PEIMS_Student_Attend	# Scholwhs.TX_PEIMS_Student_Attend Location.Location_Id = #####, Stud_Snapshot.Student_Id = #####, Grade_Level.Grade_Lvl_Cd = ##, Attend_Type_Cd = ##, Reporting_Interval.Rptg_Interval_Cd = #, Instrctl_Track_Cd = #	PEIMS Student - Basic Attendance Field Validation failure. The combination of the following fields must be unique for each Attendance data item: TX-UNIQUE-STUDENT-ID, CAMPUS-ID-OF-ENROLLMENT, ATTENDANCE-EVENT-INDICATOR, INSTRUCTIONAL-TRACK-INDICATOR-CODE, REPORTING-PERIOD-INDICATOR-CODE, and GRADE-LEVEL-CODE.	<p>1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: TX-UNIQUE-STUDENT-ID, CAMPUS-ID-OF-ENROLLMENT, ATTENDANCE-EVENT-INDICATOR, INSTRUCTIONAL-TRACK-INDICATOR-CODE, REPORTING-PERIOD-INDICATOR-CODE, and GRADE-LEVEL-CODE.</p> <p>Note: In the sample error, the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count).</p> <p>2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination . In the sample error, Location_Id = CAMPUS-ID-OF-ENROLLMENT, Student_Id = TX-UNIQUE-STUDENT-ID, Grade_Lvl_Cd = GRADE-LEVEL-CODE, Attend_Type_Cd = ATTENDANCE-EVENT-INDICATOR, Rptg_Interval_Cd = REPORTING-PERIOD-INDICATOR-CODE, Instrctl_Track_Cd = INSTRUCTIONAL-TRACK-INDICATOR-CODE.</p> <pre><BasicReportingPeriodAttendanceExtension> <TX-StudentReference> <StudentIdentity> <StudentUniqueStateId>#####</StudentUniqueStateId> </StudentIdentity> </TX-StudentReference> <TX-CampusIdOfEnrollment>#####</TX-CampusIdOfEnrollment> <TX-AttendanceEventIndicator>##</TX-AttendanceEventIndicator> <TX-InstructionalTrack>#</TX-InstructionalTrack> <TX-ReportingPeriod>#</TX-ReportingPeriod> <TX-NumberDaysTaught>##</TX-NumberDaysTaught> <TX-GradeLevel>##</TX-GradeLevel> <TX-TotalDaysAbsent>#.#</TX-TotalDaysAbsent> <TX-TotalIneligibleDaysPresent>#.#</TX-TotalIneligibleDaysPresent> <TX-TotalEligibleDaysPresent>##.#</TX-TotalEligibleDaysPresent> </BasicReportingPeriodAttendanceExtension></pre> <p>3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.</p>	<table border="1"> <thead> <tr> <th data-bbox="1371 165 1423 185">Legacy Edit #</th> <th data-bbox="1423 165 1507 185">Rule #</th> <th data-bbox="1507 165 1944 185">Rule Text / Business Meaning</th> </tr> </thead> <tbody> <tr> <td data-bbox="1371 185 1423 282">4000A</td> <td data-bbox="1423 185 1507 282">42400-000A</td> <td data-bbox="1507 185 1944 282">The combination of the following fields must be unique for each Attendance data item: TX-UNIQUE-STUDENT-ID, CAMPUS-ID-OF-ENROLLMENT, ATTENDANCE-EVENT-INDICATOR, INSTRUCTIONAL-TRACK-INDICATOR-CODE, REPORTING-PERIOD-INDICATOR-CODE, and GRADE-LEVEL-CODE.</td> </tr> <tr> <td colspan="3" data-bbox="1507 282 1944 357">The combination of the following fields must be unique for each Attendance data item: StudentUniqueStateId, TX-CampusIdOfEnrollment, TX-AttendanceEventIndicator, TX-InstructionalTrack, TX-ReportingPeriod, and TX-GradeLevel.</td> </tr> </tbody> </table>	Legacy Edit #	Rule #	Rule Text / Business Meaning	4000A	42400-000A	The combination of the following fields must be unique for each Attendance data item: TX-UNIQUE-STUDENT-ID, CAMPUS-ID-OF-ENROLLMENT, ATTENDANCE-EVENT-INDICATOR, INSTRUCTIONAL-TRACK-INDICATOR-CODE, REPORTING-PERIOD-INDICATOR-CODE, and GRADE-LEVEL-CODE.	The combination of the following fields must be unique for each Attendance data item: StudentUniqueStateId, TX-CampusIdOfEnrollment, TX-AttendanceEventIndicator, TX-InstructionalTrack, TX-ReportingPeriod, and TX-GradeLevel.		
Legacy Edit #	Rule #	Rule Text / Business Meaning											
4000A	42400-000A	The combination of the following fields must be unique for each Attendance data item: TX-UNIQUE-STUDENT-ID, CAMPUS-ID-OF-ENROLLMENT, ATTENDANCE-EVENT-INDICATOR, INSTRUCTIONAL-TRACK-INDICATOR-CODE, REPORTING-PERIOD-INDICATOR-CODE, and GRADE-LEVEL-CODE.											
The combination of the following fields must be unique for each Attendance data item: StudentUniqueStateId, TX-CampusIdOfEnrollment, TX-AttendanceEventIndicator, TX-InstructionalTrack, TX-ReportingPeriod, and TX-GradeLevel.													

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE																		
Scholwhs.TX_PEIMS_Student_Pgms_Svcs	# Scholwhs.TX_PEIMS_Student_Pgms_Svcs Stud_Snapshot.Student_Id = #####, Location.Location_Id = #####	<p>PEIMS Student - Special Education Program Field Validation failure.</p> <p>The combination of the following fields must be unique for each Student Special Education Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.</p> <p>PEIMS Student - Career and Technical Program Field Validation failure.</p> <p>The combination of the following fields must be unique for each each Student Career and Technical Education Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.</p>	<p>1) The duplicate error is occurring as a result of the TSDS PEIMS validation rules stating the combination of the following fields must be unique: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.</p> <p>Note: In the sample error, the first number indicates how many instances of the duplicated value(s) are present in the XML file. (Duplicate Count).</p> <p>2) To locate the duplicate value(s) search within the interchange for the referenced data, in the exact combination.</p> <p>In the sample error, Student_Id = TX-UNIQUE-STUDENT-ID, Location_Id = DISTRICT-ID.</p> <pre> <StudentSpecialEdProgramAssociationExtension> <StudentReference> <StudentIdentity> <StudentUniqueStateId>#####</StudentUniqueStateId> </StudentIdentity> </StudentReference> <EducationOrganizationReference> <EducationalOrgIdentity> <StateOrganizationId>#####</StateOrganizationId> </EducationalOrgIdentity> </EducationOrganizationReference> <TX-Disabilities> <TX-PrimaryDisability>##</TX-PrimaryDisability> </TX-Disabilities> <TX-MultiplyDisabled>#</TX-MultiplyDisabled> </StudentSpecialEdProgramAssociationExtension> or <StudentCTEProgramAssociation> <StudentReference> <StudentIdentity> <StudentUniqueStateId>#####</StudentUniqueStateId> </StudentIdentity> </StudentReference> <EducationOrganizationReference> <EducationalOrgIdentity> <StateOrganizationId>#####</StateOrganizationId> </EducationalOrgIdentity> </EducationOrganizationReference> <TX-DisplacedHomemakerCode>##</TX-DisplacedHomemakerCode> <TX-CTETransportationServices>#</TX-CTETransportationServices> <TX-SingleParentPregTeenCode>#</TX-SingleParentPregTeenCode> </StudentCTEProgramAssociation> </pre> <p>3) To correct the errors, please contact your vendor to have the duplicate lines removed from the XML file. Once corrected, please reload this interchange.</p>	<table border="1"> <thead> <tr> <th>Legacy Edit #</th> <th>Rule #</th> <th>Rule Text / Business Meaning</th> </tr> </thead> <tbody> <tr> <td>1630A</td> <td>41163-000A</td> <td>The combination of the following fields must be unique for each Student Special Education Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.</td> </tr> <tr> <td></td> <td></td> <td>The combination of the following fields must be unique for each Student Special Education Program Association: StateOrganizationId (EducationOrganizationReference) and StudentUniqueStateId.</td> </tr> <tr> <th>Legacy Edit #</th> <th>Rule #</th> <th>Rule Text / Business Meaning</th> </tr> <tr> <td>1690A</td> <td>41169-000A</td> <td>The combination of the following fields must be unique for each each Student Career and Technical Education Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.</td> </tr> <tr> <td></td> <td></td> <td>The combination of the following fields must be unique for each Student Career and Technical Education Program Association: StateOrganizationId (EducationOrganizationReference) and StudentUniqueStateId.</td> </tr> </tbody> </table>	Legacy Edit #	Rule #	Rule Text / Business Meaning	1630A	41163-000A	The combination of the following fields must be unique for each Student Special Education Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.			The combination of the following fields must be unique for each Student Special Education Program Association: StateOrganizationId (EducationOrganizationReference) and StudentUniqueStateId.	Legacy Edit #	Rule #	Rule Text / Business Meaning	1690A	41169-000A	The combination of the following fields must be unique for each each Student Career and Technical Education Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.			The combination of the following fields must be unique for each Student Career and Technical Education Program Association: StateOrganizationId (EducationOrganizationReference) and StudentUniqueStateId.
Legacy Edit #	Rule #	Rule Text / Business Meaning																				
1630A	41163-000A	The combination of the following fields must be unique for each Student Special Education Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.																				
		The combination of the following fields must be unique for each Student Special Education Program Association: StateOrganizationId (EducationOrganizationReference) and StudentUniqueStateId.																				
Legacy Edit #	Rule #	Rule Text / Business Meaning																				
1690A	41169-000A	The combination of the following fields must be unique for each each Student Career and Technical Education Program Association: DISTRICT-ID and TX-UNIQUE-STUDENT-ID.																				
		The combination of the following fields must be unique for each Student Career and Technical Education Program Association: StateOrganizationId (EducationOrganizationReference) and StudentUniqueStateId.																				