ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE		
cvc-attribute.3		Attribute 'id' is invalid. An Attribute type	1) This error occurs in conjunction with error "cvc-id.2: There are multiple occurrences of ID value.	Flement ID	Data Element	XML Name
	'XXXXXXXXX' is not valid with respect to its type, 'ID'.		2) This error is due to the value of the 'ID' not being valid. The value for ID must be a valid XML name beginning with a letter and containing alphanumeric characters or the underscore character without any whitespace. Each value must also must be unique.		Reference Type	(a) id
			In the sample error below, the value is not unique.			
			<pre><disciplineincident id="ID_11111"> <incidentidentifier>11111</incidentidentifier> <tx-campusidofenroliment>#########*/TX-CampusIdOfEnrolIment&gt; </tx-campusidofenroliment></disciplineincident> <incidentidentifier> 11112</incidentidentifier> <incidentidentifier>11112</incidentidentifier> <tx-campusidofenroliment>#########/TX-CampusIdOfEnrolIment&gt;   3) To locate the errors in the XML file, process it in the TSDS Validation Tool. The Detail Errors will identify which line(s) in the XML file are in error.</tx-campusidofenroliment></pre> 4) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all errors from the TSDS Validation Tool.	,		
cvc-complex-type.2.3	Element 'XXXXXX' cannot have character [children], because the type's content type is element-only.	Element has text content while schema definition says it must only have element content.	1) This errors is occurring due to the format of the XML tag.  2) There may be either a double "greater-than" character or invalid characters at the end of closing tag. These extra characters are considered as element data.		Validation Tool	1
			In the sample error below, invalid characters are shown. <schooltype>XXXXXXX</schooltype> >> or <schooltype>XXXXXXXX/SchoolType&gt;&gt;</schooltype>			
			3) To locate the errors in the XML file, process it in the TSDS Validation Tool. The Detail Errors will identify which line(s) in the XML file are in error.  4) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all errors from the TSDS Validation Tool.	,		

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE					
c-complex-type.2.4.a	Invalid content was found starting with	Elements or Complex types may be missing	1) This error occurs in conjunction with "cvc-complex-type.2.4.b: The content of element 'XXXXX' is not	**	Complex Type	TX-Race			
	element 'XXXXX'. One of '{"http://www.tea.state.tx.us/tsds":XXXXX	or out of sequence.	complete. One of '{"http://www.tea.state.tx.us/tsds":XXXXX}.'is expected."	E1059	AMERICAN-INDIAN-ALASKA-				
	X}' is expected.		2) This error is occurring due to a mandatory element or complex type missing or out of sequence from		NATIVE-CODE	ve	0 0 00 00 00 00		
	Ny 13 expected.		what is specified in TEDS.	E1060	ASIAN-CODE	TX-Asian			
			macis specified in 1255.	E1061	BLACK-AFRICAN AMERICAN-CODE	TX-BlackAfricanAmerican			
			In the sample error below, (E1059) TX-AmericanIndianAlaskaNative element is missing.	E1062	NATIVE-HAWAIIAN-PACIFIC- ISLANDER-CODE	TX–NativeHawaiianPacificIsla nder			
				E1063	WHITE-CODE	TX-White			
			<tx-race></tx-race>						
			<tx-asian>#</tx-asian>						
			<tx-blackafricanamerican>#</tx-blackafricanamerican>						
			<tx-nativehawaiianpacificislander>#</tx-nativehawaiianpacificislander>						
			<tx-white>#</tx-white>						
			3) TEDS Section 7.x or 8.7.x provides the mandatory elements and/or or complex types by interchange						
			for the collection.						
			4) To locate the errors in the XML file, process it in the <u>TSDS Validation Tool</u> . The <u>Detail Errors</u> will identify						
			which line(s) in the XML file are in error.						
			5) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all						
			errors from the TSDS Validation Tool.						
c-complex-type.2.4.b	The content of element	Elements or Complex types may be	This error is occurring due to mandatory elements or complex types being omitted.						
c-complex-type.2.4.b	'InterchangeStaffAssociation' is not		1) This error is occurring due to mandatory elements or complex types being offitted.						
	complete. One of	missing.	2) The identified elements or complex types may be one or all of the items listed as being expected.			Staff -	<b>a</b>		
	'{"http://www.tea.state.tx.us/tsds":StaffEd		2) The identified elements of complex types may be one of all of the items listed as being expected.				<u> </u>		
	ucationOrgEmploymentAssociation,		In the sample error the InterchangeStaffAssociation' - identifies where the omission occurred,			- StaffEdu	ıcationOrgEmployment		
	"http://www.tea.state.tx.us/tsds":Teacher		StaffEducationOrgEmploymentAssociation - is identified as a possible omitted mandatory element or						
	SectionAssociation,		complex type, TeacherSectionAssociation - is identified as a possible omitted mandatory element or		<u> </u>		sponsibilitiesExtension 🛨		
	"http://www.tea.state.tx.us/tsds":Staff}' is		complex type and Staff - is identified as a possible omitted mandatory element or complex type.	Int	erchangeStaffAssociation				
	expected.		, , , , , , , ,		Exchange standard for reporting Staff data	1∞ Teacher	SectionAssociation 🛨		
	·		Note: This error can occur when you are using two different source systems for HR and SIS for your	Udld		Contrac	tedInstructionalStaffFT		
			StaffAssociationExtension interchanges and the files were loaded out of sequence. Please refer to the			Contrac	tedinstructionalstani i		
			following for more information:			PayrollE	xtension ±		
			TSDSKB-307 TSDS PEIMS: StaffAssociationExtension Interchange files when there are different HR and						
			SIS vendors.						
			TSDSKB-267 studentGPS: StaffAssociationExtension Interchange files when there are different HR and						
			SIS vendors.						
			3) TEDS Section 7.x or 8.7.x provides the mandatory element and/or or complex types by interchange for						
			the collection.						
			4) To locate the errors in the XML file, process it in the TSDS Validation Tool. The Detail Errors will identify						
			which line(s) in the XML file are in error.						
			5) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all						
			errors from the TSDS Validation Tool.						
		l .							

ERROR IDENTIFIER	SAMPLE eDM ERROR	eDM ERROR ERROR DESCRIPTION RES	RESOLUTION STEPS	REFERENCE					
cvc-complex-type.2.4.d	Invalid content was found starting with	Elements not specified in TEDS for the	1) This error is due to data entered in the XML file not matching what is specified in TEDS.	StudentSchoolAssociationExtension	Complex Type				
	element 'XXXXXXXXX'. No child element is	collection were found in the XML.				PEIMS			
	expected at this point.		2) This error is occurring due to an unrequested element being added to the complex type.	Element ID Data Element	XML Name	TSDS M 1 M 2 M 3 M 4 M			
	· ·			** Reference Complex Type	StudentReference				
			In the sample error below, (E1078) PK-PROGRAM-TYPE-CODE TX-PKProgramTypeIndicator is NOT	** Complex Type	Studentidentity				
			· · · · · · · · · · · · · · · · · ·	E1523 TX-UNIQUE-STUDENT-ID	StudentUniqueStateId				
			collected for TSDS PEIMS Summer.	** Reference Complex Type	SchoolReference	$\Delta$ $\Delta$ $\Delta$ $\Delta$ $\Delta$ $\Delta$ $\Delta$			
				** Reference Complex Type	EducationalOrgIdentity				
			<educationalorgidentity></educationalorgidentity>	E0266 CAMPUS-ID	StateOrganizationId				
			<stateorganizationid>#########</stateorganizationid>	** Complex Type	EducationalPlans	☑ 0 00 00 00			
				E0017 GRADE-LEVEL-CODE	TX-GradeLevel				
				E0782 CAMPUS-ID-OF-ENROLLMENT	TX-CampusIdOfEnrollment	0 0 00 00 00 00			
			<tx-gradelevel>XX</tx-gradelevel>	E0903 CAMPUS-ID-OF-RESIDENCE	TX-CampusIdOfResidence				
			· · · · · · · · · · · · · · · · · · ·	E1027 CAMPUS-ID-OF-ACCOUNTABILITY		, 0 0 20 00 20 00			
			<tx-attribution>##</tx-attribution>	E1044 LAST-DATE-OF-ENROLLMENT	TX-LastDateOfEnrollment				
			<tx-pkprogramtypeindicator>##</tx-pkprogramtypeindicator>	E1000 STUDENT-ATTRIBUTION-CODE	TX-Attribution				
				E1078 PK-PROGRAM-TYPE-CODE					
				E1079 PRIMARY-PK-FUNDING-SOURCE	TX-PrimaryPKFundingSource	0 0 80 00 00 00			
			3) TEDS Section 7.x or Section 8.7.x provides the mandatory and optional elements for the collection.						
			4) To locate the errors in the XML file, process it in the <u>TSDS Validation Tool</u> . The <u>Detail Errors</u> will identify						
1									
			which line(s) in the XML file are in error.						
			5) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all errors from the TSDS Validation Tool.						
cvc-complex-type.3.2.2	cvc-complex-type.3.2.2: Attribute 'xsi:schemal.ocation' is not allowed to	Element can have an attribute but the attribute name is invalid.	This error is due to the attribute entered in the XML file not matching what is specified for the element in TEDS.						
		attribute name is invalid.	III TEDS.	XML File Header Requirements					
	appear in element 'InterchangeEducationOrganization'.		2)This error is occurring due to the attribute not meeting the case sensitivity requirements.	For each xml file submitted to the EDI	W, the header must read as fo	Illows in order to process correctly:			
			In the sample error below, attribute InterchangeEducationOrganization is case sensitive.	<pre><?xml version="1.0" encoding="UTF- Interchange Name].xsd" xmlns="http: xmlns:xsi=http://www.w3.org/2001/Xh</pre>	://www.tea.state.tx.us/tsds"	p://www.tea.state.tx.us/tsds [Exact			
			<interchangeeducationorganization <br="" xmlns="http://www.tea.state.tx.us/tsds" xsi:schemalocation="http://www.tea.state.tx.us/tsds&lt;br&gt;InterchangeEducationOrganizationExtension.xsd">xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"&gt;</interchangeeducationorganization>	Example: <interchangestudentenrollment xsi:se<br="">InterchangeStudentEnrollmentExtens xmlns:xsi="http://www.w3.org/2001/Xl</interchangestudentenrollment>	ion.xsd" xmlns="http://www.te				
			Note: TEDS Section 1 or 8.1 contain the XML File Header Requirements.						
			3) To locate the errors in the XML file, process it in the TSDS Validation Tool. The Detail Errors will identify which line(s) in the XML file are in error.						
			4) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all errors from the TSDS Validation Tool.						

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE
cvc-complex-type.4	Attribute 'TelephoneNumberType' must	Element must have an attribute and the	1) This error is due to the format of the data entered in the XML file not matching what is specified for	Staff Category
	appear on element 'Telephone'.	attribute is missing.	the element in TEDS.	30040 Staff Basic Information Sub-Category
			2)This error is occurring due to the element requiring an attribute and the attribute is missing.	StaffExtension Complex Type
			,	Statisticitision complex type
			In the sample error below, (E1455) TELEPHONE-NUMBER-TYPE (a) TelephoneNumberType is defined as	Element ID Data Element XML Name
			an attribute.	E1126 END-DATE-OF-ADDRESS EndDate
			<telephone telephonenumbertype="Home"></telephone>	** Complex Type Telephone
			<telephonenumber>###-####</telephonenumber>	E1455 TELEPHONE-NUMBER-TYPE (a) TelephoneNumberType
				Legend
			Note: TEDS Section 7.x or 8.7.x contain a Legend identifying (a) = Attribute	(a) = Attribute TSDS = Dashboard
			3) To locate the errors in the XML file, process it in the <u>TSDS Validation Tool</u> . The <u>Detail Errors</u> will identifi	
			which line(s) in the XML file are in error.	
			4) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all	
			errors from the TSDS Validation Tool.	
cvc-datatype-valid.1.2.1	' is not a valid value for 'date'.	The value is not the type which is defined	1)This error occurs in conjunction with error cvc-type.3.1.3: The value " of element 'XXXXXXXXX' is not	Data Specifications
		for the element. For example a Numeric	valid.	Code Table ID Mandatory in XML Domain of Values
		value is used when the type is defined as		NO yyyy = 2016-2017 mm = 01-12
		Coded.	2)This error is occurring due to the element value not meeting what is defined in TEDS.	dd = 01-31
			In the sample error, (E1069) STUDENT-BEGIN-DATE BeginDate has the following Data Specifications:	Length         Data Type         Pattern:           10         CODED         yyyy-mm-dd
			the sample cite, (22005) of obeth state of the same in one of the same specimental state of the same same same same same same same sam	PEIMS Reporting
			Length = 10	PEIMS Element         Collection Period         Is Collected         Mandatory         Can be Blank           YES         1         NO         NO         YES
			Data Type = Coded	2 NO NO YES
			Pattern = yyyy-mm-dd Domain of Values	3 YES YES NO 4 YES YES NO
			yyyy = 2016-2017	TSDS Reporting
			mm = 01-12	TSDS Element Mandatory YES YES
			dd = 01-31	15 15
			However, a 'null' value was submitted.	
			<begindate></begindate>	
			3) To locate the errors in the XML file, process it in the TSDS Validation Tool. The Detail Errors will identify	y
			which line(s) in the XML file are in error.	
			4) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all	·
			errors from the TSDS Validation Tool.	

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE
ERROR IDENTIFIER cvc-elt.1.a	SAMPLE eDM ERROR Cannot find the declaration of element 'InterchangeStaffAssociation'.	ERROR DESCRIPTION The validated file has a namespace which doesn't match the target namespace defined in the schema.	### RESOLUTION STEPS  1) This error is occurring due to the validated file having a namespace which doesn't match the target namespace ("targetNamespace") as defined by TEDS.  2) TEDS Section 1.0 or 8.1.0 provides XML File Header specifications.  In the sample error below, XML headers are shown.  Incorrect:  xml version="1.0" encoding="utf-8"?> <interchangestaffassociation>  Correct:  <?xml version="1.0" encoding="UTF-8"?> <interchangestaffassociation xmlns="http://www.tea.state.tx.us/tsds" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemalocation="http://www.tea.state.tx.us/tsds InterchangeStaffAssociationExtension.xsd"> <staff>  3) To correct the errors, have your vendor reference TEDS Section 1.0 or 8.1.0 for the XML File Header Requirements. Once corrected reload the XML file.</staff></interchangestaffassociation></interchangestaffassociation>	XML File Header Requirements
cvc-elt.4.3	cvc-elt.4.3: Type 'GradingPeriod' is not validly derived from the type definition, 'CalendarDate', of element 'CalendarDate'.	not extended (derived) from the base datatype. The type submitted is not	1) This error is occurring due to data entered in the XML file not matching what is specified in TEDS.  2) In the sample error, the 'xsi:type=""GradingPeriod"" id=""GRDPRD_001Summer_Semester" is not defined as a type in the schema for the CalendarDateExtension complex type in the EducationOrgCalendar interchange: <calendardate gradingperiod""="" grdprd_001summer_semester""="" id="" xsi:type=""> <gradingperiod>Summer Semester</gradingperiod> <begindate>YYYY-MM-DD</begindate> <enddate>YYYY-MM-DD <totalinstructionaldays>#</totalinstructionaldays> <calendardatereference cd_###_###summerbegin""="" ref=""></calendardatereference> <calendardatereference cd_###_###summerend""="" ref=""></calendardatereference> </enddate></calendardate> 3) To locate the errors in the XML file, process it in the TSDS Validation Tool. The Detail Errors will identify which line(s) in the XML file are in error.  4) To correct the errors, please have you vendor refer to TEDS Section 7 or 8.7 for the TEDS Interchange Schemas. To assist your vendor, print or export all errors from the TSDS Validation Tool.	2018-2019 TEDS Interchange Schemas  This section includes the individual interchange schemas and their definitions. These interchange schemas will be used to load data into the EDW. Due to referential integrity of the data, the interchanges must be loaded in the order shown below.  Description of Interchange Schemas(07/01/2018)  InterchangeEducationOrganizationExtension Released  Schema InterchangeEducationOrganizationExtension.xsd 08/012018  Collection Reqs InterchangeEducationOrganizationExtension.gdf 07/01/2018  Data Sample(s) PEIMS Fall - InterchangeEducationOrganizationExtension.xml 07/01/2018  PEIMS Mid-Year - InterchangeEducationOrganizationExtension.xml 07/01/2018  PEIMS Summer - InterchangeEducationOrganizationExtension.xml 07/01/2018  PEIMS Summer - InterchangeEducationOrganizationExtension.xml 07/01/2018  PEIMS Extended Year - InterchangeEducationOrganizationExtension.xml 07/01/2018

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFEREN	NCE			
cvc-enumeration-valid:	Value " is not facet-valid with respect to	The value given for the element is not in	1) This error occurs in conjunction with error "cvc-type.3.1.3: The value " of element 'XXXXXXXXXX' is not	Code			Date	Date
	enumeration '[40*, 50*, 60*, 70*, 71*, 00,	the Code Table for the element.	valid.	Table ID	Name	XML Name	Issued	Updated
	01, 02, 08, 30, 31, 31*, 32, 32*, 34, 34*, 40,			C035	TX-INSTRUCTIONAL-SETTING-CODE	TX-InstructionalSettingType	4/2/1987	3/1/2013
	41, 42, 43, 44, 45, 50, 60, 70, 71, 81, 82, 83,		2) This error is occurring due to the data element's value not being found in the specified code table in	Code		Translation		
	84, 85, 86, 87, 88, 89, 91, 92, 93, 94, 95, 96,		TEDS.	Coue	D + 1 + 1 + 5 - 2 15 15   1		11-6-11-11-11-11	- 61 - 1 - 1
	97, 98]'. It must be a value from the				Attendance Accounting Handbook.	ion Instructional Setting Codes are located	in Section IV of tr	ie Student
	enumeration.		In the sample error, valid values for (E0173) INSTRUCTIONALSETTING-CODE TX-InstructionalSetting are		•			
			in Code Table C035.		The following Instructional Setting Co operated by school districts.	des are for students 0 – 2 years of age re	eiving services in I	ECI Programs
			<educationalorgidentity></educationalorgidentity>	31	Home-based Instruction (not included	in submission 3)		
			<stateorganizationid>######</stateorganizationid>	32	Center-based Instruction (not included	d in submission 3)		
				34	Other environment (not included in su	bmission 3)		
			<tx-campusidofenrollment>########</tx-campusidofenrollment>					
			<tx-gradelevel>XX</tx-gradelevel>					
			<tx-instructionalsetting></tx-instructionalsetting>					
			/StudentESYProgramAssociationExtension>					
			3) To locate the errors in the XML file, process it in the <u>TSDS Validation Tool</u> . The <u>Detail Errors</u> will identify					
			which line(s) in the XML file are in error.					
			4) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all errors from the TSDS Validation Tool.					
			errors from the 13D3 validation roof.					
cvc-fractionDigits-valid	Value '#.######## has ## fraction	Element value has too many digits in the	1) This error occurs in conjunction with error ""cvc-type.3.1.3: The value " of element 'XXXXXXX' is not	Element ID	Data I	Element	Date Issued Da	te Updated
	digits, but the number of fraction digits has	fraction part.	valid.""	E1112		EDIT	03/01/2012 1	1/1/2015
	been limited to 2.				XML Name	Comple		
			2) This error is occurring due to the format of the data entered in the XML file not matching what is		Credit	Cred	fits	
			specified for the element in TEDS.	The velve of	credits or units of value awarded for the	Definition		
				The value of		ipecial Instructions		
			In the sample error, (E1112) CREDIT Credit exceeded the number of decimal places identified in TEDS.			,		
						Data Specifications		
			<creditsattempted></creditsattempted>		Code Table ID	Mandatory in XML	Domain of Values	
			<credit>#.#########</credit>			YES	000.00 - 999.99	
					Length	Data Type	Pattern:	
			3) To locate the errors in the XML file, process it in the TSDS Validation Tool. The Detail Errors will identify		6	NUMERIC	###.##	
			which line(s) in the XML file are in error.					
			4) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all errors from the TSDS Validation Tool.					

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE		
vc-id.1	There is no ID/IDREF binding for IDREF 'CPER_00'.	A corresponding attribute 'id' is not present for attribute 'ref'.	This error is occurring because for every IDREF-type element there must be a matching ID-type element.	ClassP	eriod Complex Type	
			2) This error is occurring due to omitting a required 'id'.	Element ID Data Element		XML Name
			In the sample error below, the ClassPeriod Complex Type is a Reference Type (a) id and the	**	Reference Type	(a) id
			corresponding Reference Type (a)ref ClassPeriodReference is located in the School Complex Type.	E1074	CLASS-PERIOD	ClassPeriodName
			<classperiod id="CPER_0"> <classperiodname>##</classperiodname></classperiod>	Schoo	lExtension Complex Type	
				Element	t ID Data Element	XML Name
			<school id="SCOL_########"> <stateorganizationid>#########</stateorganizationid></school>	**	Reference Complex Type	ClassPeriodReference
			<nameofinstitution>XXXXXXX</nameofinstitution>	**	Reference Type	a) ref
			<organizationcategories> <organizationcategory>School</organizationcategory></organizationcategories>			
			<schoolcategoryes> <schoolcategory> XXXXXXXXXX/SchoolCategory&gt;</schoolcategory></schoolcategoryes>			
			<localeducationagencyreference ref="LID_#######"></localeducationagencyreference> <classperiodreference ref="CPER_0"></classperiodreference>			
			3) TEDS Section 7.x or 8.7.x provides the mandatory element and/or complex types by interchange for the collection.			
			4) To locate the errors in the XML file, process it in the <u>TSDS Validation Tool</u> . The <u>Detail Errors</u> will identify which line(s) in the XML file are in error.	,		
			5) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all errors from the TSDS Validation Tool.			

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE		
cvc-id.2	•		. 1) This error occurs in conjunction with error "cvc-attribute.3: The value 'ID_##### of attribute 'id' on	Element ID Dat	ta Element	XML Name
	'ID_####'.		element 'xxxxxx' is not valid with respect to its type, 'ID'.	Lientent ID Dat	ta Element	AIVIE IVAIIIC
		'id' must be unique.		** Ref		MAG
			2) This error is occurring due to having duplicate reference IDs. The value for an ID must be a valid XML	** Ket	ference Type	(a) id
			name beginning with a letter and containing alphanumeric characters or the underscore character			
			without any whitespace. Each value must also must be unique.			
			In the sample error below, duplicates reference ID's are shown.			
			<pre><disciplineincident id="ID 11111"></disciplineincident></pre>			
			<pre><incidentidentifier>111111</incidentidentifier></pre>			
			<tx-campusidofenrollment>########</tx-campusidofenrollment>			
			<pre><disciplineincident id="ID_11111"></disciplineincident></pre>			
			<pre><incidentidentifier>11112</incidentidentifier></pre>			
			<tx-campusidofenrollment>########</tx-campusidofenrollment>			
			3) To locate the errors in the XML file, process it in the <u>TSDS Validation Tool</u> . The <u>Detail Errors</u> will identify			
			which line(s) in the XML file are in error.			
			which line(s) in the XML file are in error.			
			4) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all			
			errors from the TSDS Validation Tool.			
cvc-maxInclusive-valid	Value '###' is not facet-valid with respect	Value given for element is too big	1) This error is occurring due to the value of the element exceeding the maximum allowed as defined by			
cvc-maxinciusive-valiu	to maxInclusive '180' for type 'TX-	compared to allowed maximum value	TEDS.	Element ID	Data Element	Date Issued Date Updated
	NumberDaysTaught'.	defined by TEDS. The value must be less	1100.	E0935	NUMBER-DAYS-TAUGHT	03/13/1992 3/3/2008
	Tumber bays raagne :	than or equal to this value.	2) The given value must be less than or equal to the defined maximum value.	XML		omplex Type
				TX-Number(	DaysTaught BasicReportingPe	eriodAttendanceExtension
			In the sample error, the TEDS defined Domain of Values is 001 - 180 for (E0935) NUMBER-DAYS-TAUGHT		Definition	
			TX-NumberDaysTaught.	NUMBER-DAYS-TAUGHT indicat particular reporting period.	tes the number of days of instruction offered, as shown on	the school calendar, during a
			<tx-numberdaystaught>###</tx-numberdaystaught>		Special Instructions	
				For Submission 3, the values for 090 for Reporting Period 6.	r NUMBER-DAYS-TAUGHT are restricted to a maximum of 0	45 for Reporting Periods 1–5 and
			3) TEDS Section 3.x or 8.3.x provides the data specifications for each element.		Data Specifications	
			ATT I was also were in the VAM CI.	Code Table ID	Mandatory in XML	Domain of Values
			4) To locate the errors in the XML file, process in the <u>TSDS Validation Tool</u> . The <u>Detail Errors</u> will identify which line(s) is in the XML file are in error.		NO	001 - 180
			which line(s) is in the AML file are in error.			
			5) To correct the errors, please verify the value is correct in your source system, re-extract the XML and			
			reload it.	Length	Data Type	Pattern:
				3	NUMERIC	###

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFEREN	CE			
cvc-maxLength-valid	Value	Length of the element value exceeds the	1)This error is occurring due to the length of the element value exceeding the maximum length which is	Element ID	Element ID		Date Issued Date Upda	
	'XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	maximum length which is defined for the	defined by TEDS.	E1473			03/01/2012	
	XXXXXXXXXXXXXXXXXXXXXXX with length	element in TEDS.					Complex Type	
	= '##' is not facet-valid with respect to		2) In TEDS, the String Length is 50 characters for (E1473) BEHAVIOR-DESCRIPTOR-SHORTDESCRIPTION				BehaviorDescriptorType	
	maxLength '##' for type 'ShortDescription'.		ShortDescription.	Definition A shortened description for the behavior.  Special Instructions				
1								
			In the sample error below, the value is not valid due to being 56 characters.					
			<shortdescription>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</shortdescription>		Data Specifications  Code Table ID Mandatory in XML			
			ription>				Domain of Values	
			Inpution >			YES		
			3) TEDS Section 3.x or 8.3.x provides the data specifications required for each element.					
					Length	Data Type	Pattern:	
			4) To locate the errors in the XML file, process in the TSDS Validation Tool. The Detail Errors will identify		50	STRING	•	
			which line(s) is in the XML file are in error.					
I			5) To correct the errors, please verify the value is correct in your source system, re-extract the XML and					
			reload it.					

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE
cvc-minInclusive-valid	Value '#' is not facet-valid with respect to	Element value is less than the allowed	1)This error is occurring due to the element value being less than the allowed minimum value defined by	Element ID Data Element Date Issued Date Updated
	minInclusive '1' for type 'TX-	minimum value defined in TEDS.	TEDS.	E0160 NUMBER-DAYS-EMPLOYED 04/02/1987 3/1/1988
	NumberDaysEmployed'.			XML Name Complex Type
			2) In TEDS, the Domain of Values for (E0160) NUMBER-DAYS-EMPLOYED TX-NumberDaysEmployed is 00:	TX-NumberDaysEmployed StaffEducationOrgEmploymentAssociationExtension
			- 366.	Definition
			In the sample error below, '0' is not valid.	NUMBER-DAYS-EMPLOYED indicates the actual number of at work days within the school year that a person is scheduled to work in the district. This number does not include holidays, weekends, and any other days the employee is not scheduled to work.
				Special Instructions
			<tx-numberdaysemployed>0</tx-numberdaysemployed>	
				Data Specifications  Code Table ID Mandatory in XML Domain of Values
			3) TEDS Section 3.x or 8.3.x provides the data specifications required for each element.	Code Table ID Mandatory in XML Domain of Values  NO 001 - 366
			4) To locate the errors in the XML file, process in the TSDS Validation Tool. The Detail Errors will identify	
			which line(s) is in the XML file are in error.	Length Data Type Pattern:
				3 NUMERIC ###
			5) To correct the errors, please verify the value is correct in your source system, re-extract the XML and reload it.	
cvc-minLength-valid	Value " with length = 'null' is not facet-vali	Length of the element value is less than	1)This error is occurring due to the length of the element value being less than the minimum length	Element ID Data Element Date Issued Date Updated
	with respect to minLength '1' for type	rith respect to minLength '1' for type the minimum length which is defined for		E1269 TELEPHONE-NUMBER 03/01/2012
	'TelephoneNumber'.			XML Name Complex Type
			2) In TEDS, the Numeric Length is 14 characters for (E1269) TELEPHONE-NUMBER TelephoneNumber	Telephone Telephone
				Definition
			In the sample below the value is not valid due to being 'null' characters.	The telephone number including the area code, and extension, if applicable.
			in the sample below the value is not valid due to being fruit characters.	Special Instructions
			<telephone telephonenumbertype="XXXXX"></telephone>	
			<telephonenumber></telephonenumber>	Data Specifications
				Code Table ID Mandatory in XML Domain of Values
			y receptione.	YES
			3) TEDS Section 3.x or 8.3.x provides the data specifications required for each element.	
			A) To locate the cause in the VAAL file accesses in the TSDS Vehicleties Tool. The Detail Faces will identify	Length Data Type Pattern:
			4) To locate the errors in the XML file, process in the <u>TSDS Validation Tool</u> . The <u>Detail Errors</u> will identify which line(s) is in the XML file are in order.	14 NUMERIC #
			which line(s) is in the XML file are in error.	
			5) To correct the errors, please verify the value is correct in your source system, re-extract the XML and	
			reload it.	

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE			
vc-pattern-valid	Value " is not facet-valid with respect to	The content of the element does not	1) This error occurs in conjunction with error "cvc-type.3.1.3: The value " of element 'XXXXXXX' is not	Element ID	Data Element	Date Issued	Date Updated
	pattern '[A-Z0-9]{1,9}' for type 'XXXXXX'.	match the pattern which is defined for the	valid."	E0001	STUDENT-ID	04/10/1989	7/1/2013
		element in TEDS.		XML Name		Complex Type	
			2) This error occurring is due to the format of the data entered for the element not matching what is	IdentificationCode		StudentIdentificationCode	
			specified in TEDS.		Definition		
				STUDENT-ID is the student's Social Security r	number or a state-approved alterna	tive identification number.	
			In the sample error below, (E0001) STUDENT-ID IdentificationCode is the student's Social Security		Special Instructions		
			number or a state-approved alternative identification number and it cannot be blank. <student></student>	When available, the student's Social Security Section 2 for the assignment of an alternativ The first character of STUDENT-ID must be ":	ve identification number.	nber is not available, follow the	instructions in
					Data Specifications		
			<pre><studentuniquestateid>##########/</studentuniquestateid> <pre></pre></pre>	Code Table ID	Mandatory in XML	Domain of Val	ues
			<pre><studentidentificationcode identificationsystem="State"> <identificationcode></identificationcode></studentidentificationcode></pre>		YES		
			· ·				
					0.1.7	2.0	
			2) TERS Section 2	Length 9	Data Type  CODED	Pattern:	
			3) TEDS Section 3.x or 8.3.x provides the data specifications required for each element.	9	CODED		
			4) To locate the errors in the XML file, process in the <u>TSDS Validation Tool</u> . The <u>Detail Errors</u> will identify which line(s) is in the XML file are in error.				
		5) To correct the errors, please verify the value is correct in your source system, re-extract the XML and reload it.					
vc-type.3.1.2 Element 'NameOfInstitution' is a simple							
rc-type.3.1.2	Element 'NameOfInstitution' is a simple type, so it must have no element	Element contains other elements or attributes. The schema definition says it	1) This error occurs in conjunction with error "cvc-type.3.1.3: The value " of element 'XXXXXXX' is not valid".	LocalEducationAgencyExtensio	n Complex Type		
c-type.3.1.2			The state of the s			PEI	
c-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	The state of the s	Element ID Data Element	XML Name	TSDS M 1 M 2 M	3 M 4 M
-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".			TSDS M 1 M 2 M	3 M 4 M
type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is	Element ID Data Element	XML Name	TSDS M 1 M 2 M	3 M 4 M
c-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME	XML Name StateOrganizationId NameOfInstitution	TSDS M 1 M 2 M	3 M 4 M
rc-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M
vc-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes.	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME	XML Name StateOrganizationId NameOfInstitution	TSDS M 1 M 2 M  V V VV  V VV	3 M 4 M
rc-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes.	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M
rc-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes. The schema definition says it must contain only text.	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M
c-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes. The schema definition says it must contain only text.  Incorrect:	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M
type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes. The schema definition says it must contain only text.  Incorrect:  NameOfInstitution>	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M
rc-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes. The schema definition says it must contain only text.  Incorrect:  NameOfInstitution>  NameOfInstitution>	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M  V V V  V V V
c-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes. The schema definition says it must contain only text.  Incorrect:  NameOfInstitution>  NameOfInstitution>	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M
c-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes. The schema definition says it must contain only text.  Incorrect:  NameOfInstitution>  NameOfInstitution>  NameOfInstitution>	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M
rc-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes. The schema definition says it must contain only text.  Incorrect: <nameofinstitution> <nameofinstitution>  Correct:  <nameofinstitution>  Correct:  NameOfInstitution&gt;  XXXXXXXXX/NameOfInstitution&gt;  3) To locate the errors in the XML file, process it in the TSDS Validation Tool. The Detail Errors will identify</nameofinstitution></nameofinstitution></nameofinstitution>	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type  E1240 ORGANIZATION-CATEGORY	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M
vc-type.3.1.2	type, so it must have no element	attributes. The schema definition says it	valid".  2) This error is occurring due to the format of the data entered for the element not matching what is specified in TEDS.  In the sample error below, (E0213) DISTRICT-NAME is shown containing other elements or attributes. The schema definition says it must contain only text.  Incorrect: <nameofinstitution>  Correct:  <nameofinstitution>XXXXXXXX</nameofinstitution></nameofinstitution>	Element ID Data Element  E0212 DISTRICT-ID  E0213 DISTRICT-NAME  ** Complex Type  E1240 ORGANIZATION-CATEGORY	XML Name StateOrganizationId NameOfInstitution OrganizationCategories	TSDS M 1 M 2 M  v v v v  v v v v  v v v v v	3 M 4 M  2 V V V  2 V V V

ERROR IDENTIFIER	SAMPLE eDM ERROR	ERROR DESCRIPTION	RESOLUTION STEPS	REFERENCE				
cvc-type.3.1.3	The value " of element 'BeginDate' is not	The content of the element does not	1) This error may occur in conjunction with cvc-datatype-valid.1.2.1, cvc-enumeration-valid, cvc-			Data Specifications		
	valid.	match the element type definition or	fractionDigits-valid, cvc-pattern-valid, or cvc-type.3.1.2 errors.	Code 1	able ID	Mandatory in XML	C	omain of Values
		pattern defined in TEDS.				NO	,	yyy = 2016-2017
			2) This error is occurring due to the content of the element not matching the element type definition or					mm = 01-12 dd = 01-31
			pattern defined in TEDS.	ler	gth	Data Type		Pattern:
					0	CODED		yyyy-mm-dd
			In the sample error, (E1069) STUDENT-BEGIN-DATE BeginDate is defined as:			PEIMS Reporting		
				PEIMS Element	Collection Period	Is Collected	Mandatory	Can be Blank
			Length = 10	YES	1	NO	NO	YES
			Data Type = Coded		2	NO	NO	YES
			Pattern = yyyy-mm-dd		3	YES	YES	NO
			Domain of Values:		4	YES	YES	NO
			уууу = 2016-2017		TSDS Element	TSDS Reporting	Mandate	DEV
			mm = 01-12		YES		YES	
			dd = 01-31	ı	103	ı	1.5	Į.
			N. W.C					
			'Null' for a value is NOT valid:					
			<begindate></begindate>					
			2) To be about the control of the VAN Clause of the transfer of the Topic Validation Test The Detail France (Illinder)					
			3) To locate the errors in the XML file, process it in the TSDS Validation Tool. The Detail Errors will identify	<b>'</b>				
			which line(s) in the XML file are in error.					
			4) To correct the errors, please contact your vendor for support. To assist your vendor, print or export all					
			errors from the TSDS Validation Tool.					
			errors from the 1303 validation roof.					
failed to validate for inputCode	Interchange District Code Validation-	The file has an element with a type that is	1) This error is occurring due to data entered in the XML file not matching what is specified in TEDS.	J				
lailed to validate for inputcode	FileName	not extended (derived) from the base	1) This error is occurring due to data entered in the xivit life not matching what is specified in TEDs.	Element ID		Data Element		Date Issued Date Upd
	###### 000 2018SUMR1 201801010000		2) There may be either extra characters or invalid characters in the value.	E0212		DISTRICT-ID		04/02/1987 3/2/19
	InterchangeEducationOrganizationExtension		2) There may be either extra characters of invalid characters in the value.		XML Name			Complex Type
	n.xml failed to validate for inputCode:	valid as defined in 1255.	In the sample error below, the E0212 DISTRICT-ID has invalid characters:		StateOrganizationId	1	Edu	cationOrganization
	#######		in the sumple error selow, the E0212 BISTRICT IS has invalid characters.					
			<pre><localeducationagency></localeducationagency></pre>			Definition	n	
			<pre><stateorganizationid> #######</stateorganizationid> (7 digits)</pre>	DISTRICT-ID indica	tes the district identifi	cation number registered v	vith the Texas Educat	ion Agency.
			<pre><location>XXXXXXXXXXX/Location&gt;</location></pre>			Special Instru	ctions	
			<organizationcategories></organizationcategories>					
			<pre></pre> <pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre><!--</td--><td></td><td></td><td>Data Specifica</td><td>tions</td><td></td></pre></pre>			Data Specifica	tions	
				Cad	Table ID			Damain of Values
				Coa	Table ID	Mandatory in	AIVIL	Domain of Values
			3) To locate the errors in the XML file, process it in the File Manager.			YES		
			· · · · · · · · · · · · · · · · · · ·					
			4) To correct the errors, please contact your vendor for support.					
			, "	I	ength	Data Type	2	Pattern:
					6	CODED		#####
		1		.—				